

GLOSSARY

A-weighted decibel (dBA) - A unit of weighted sound pressure level, measured by the use of a metering characteristic and the "A" weighting specified by American National Standard Institute SI.4-1971(R176). (See decibel).

Accident - One or more unplanned events involving materials that have the potential to endanger the health and safety of workers and the public. An accident can involve a combined release of energy and hazardous materials (radiological or chemical) that might cause prompt or latent adverse health effects.

Accident sequence - With regard to nuclear facilities, an initiating event followed by system failures or operator errors, which can result in significant core damage, confinement system failure, and/or radionuclide releases.

Ambient air - The surrounding atmosphere as it exists around people, plants, and structures. Air quality standards are used to provide a measure of the health-related and visual characteristics of the air.

Archaeological sites (resources) - Any location where humans have altered the terrain or discarded artifacts during either prehistoric or historic times.

Area of potential effects (APE) - Geographic area or areas within which an undertaking may directly or indirectly cause changes in the character or use of historic properties, if such properties exist. For this SEIS, the archaeological APE is the same as the "Bellefonte Project Area" as identified on the B&W and AP100 site plans.

Artifact - An object produced or shaped by human workmanship of archaeological or historical interest.

As Low as Reasonably Achievable (ALARA) - A concept applied to ensure the quantity of radioactivity released to the environment and the radiation exposure of onsite workers in routine operations, including "anticipated operational occurrences," is maintained as low as reasonably achievable. It takes into account the state of technology, economics of improvements in relation to benefits to public health and safety, and other societal and economic considerations in relation to the use of nuclear energy in the public interest.

Background radiation - Ionizing radiation present in the environment from cosmic rays and natural sources in the Earth; background radiation varies considerably with location.

Baseline - A quantitative expression of conditions, costs, schedule, or technical progress to serve as a base or standard for measurement during the performance of an effort; the established plan against which the status of resources and progress of a project can be measured. For this environmental impact statement, the environmental baseline is the site environmental conditions as they exist or have been estimated to exist in the absence of the proposed action.

Base Load - The minimum amount of electric power or natural gas delivered or required over a given period of time at a steady rate. The minimum continuous load or demand in a power system over a given period of time usually not temperature sensitive.

Base load capacity - The generating equipment normally operated to serve loads on an around-the-clock basis.

Basemat - Reinforced concrete foundation. The AP1000 basemat meets the functional requirements of a building foundation by providing the strength and stability necessary for design loads to transmit safely from the structure onto the underlying rock and soil substrata.

Benthic - Plants and animals dwelling at the bottom of oceans, lakes, rivers, and other surface waters.

Benthic macroinvertebrate - Organisms that are large enough to be seen without the aid of magnification and that live in close association with bottom of flowing and nonflowing bodies of water.

Best management practices (BMP) - A practice or combination of practices that is determined by a state (or other planning agency) after problem assessment, examination of alternative practices, and appropriate public participation to be the most effective, practicable means of preventing or reducing the amount of pollution generated by nonpoint sources to a level compatible with air or water quality goals.

Beta particle - A charged particle emitted from the nucleus of an atom during radioactive decay. A negatively charged beta particle is identical to an electron; a positively charged beta particle is called a "positron."

Beta radiation - Consists of an elementary particle emitted from a nucleus during radioactive decay; it is negatively charged, is identical to an electron, and is easily stopped by a thin sheet of metal.

Block groups - U.S. Bureau of the Census term describing a cluster of blocks generally selected to include 250 to 550 housing units.

Blowdown - A maintenance procedure to remove sediment in power plant components.

Burnup - The total energy released through fission by a given amount of nuclear fuel; generally measured in megawatt-days.

CE-QUAL-W2 - Two-dimensional, laterally averaged, hydrodynamic and water quality model for reservoirs

Cancer - The name given to a group of diseases characterized by uncontrolled cellular growth with cells having invasive characteristics such that the disease can transfer from one organ to another.

Capacity factor - The ratio of the annual average power production of a power plant to its rated capacity.

Canister - A stainless-steel container in which nuclear material is sealed.

Cladding - The metal tube that forms the outer jacket of a nuclear fuel rod or burnable absorber rod. It prevents the release of radioactive material into the coolant. Stainless steel and zirconium alloys are common cladding materials.

Consumptive water use - The difference in the volume of water withdrawn from a body of water and the amount released back into the body of water.

Container - With regard to radioactive wastes, the metal envelope in the waste package that provides the primary containment function of the waste package and is designed to meet the containment requirements of 10 CFR Part 60.

Containment structure - A gas-tight shell or other enclosure around a nuclear reactor to confine fission that otherwise might be released to the atmosphere in the event of an accident. Such enclosures are usually dome-shaped and made of steel-reinforced concrete.

Containment design basis - For a nuclear reactor, those bounding conditions for the design of the containment, including temperature, pressure, and leakage rate. Because the containment is provided as an additional barrier to mitigate the consequences of accidents involving the release of radioactive materials, the containment design-basis may include an additional specified margin above those conditions expected to result from the plant design-basis accidents to ensure that the containment design can mitigate unlikely or unforeseen events.

Conductors - A wire or combination of wires not insulated from one another, suitable for carrying electric current.

Cooling water - Water pumped into a nuclear reactor or accelerator to cool components and prevent damage from the intense heat generated when the reactor or accelerator is operating.

CORMIX – Cornell Mixing Zone Expert System (CORMIX), an EPA-supported mixing zone model for assessment of regulatory mixing zones resulting from steady, continuous point source discharges.

Cultural resources - Archaeological sites, historical sites, architectural features, traditional use areas, and Native American sacred sites.

Cumulative impacts/effects - In an environmental impact statement, the impact on the environment which results from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions, regardless of what agency (Federal or nonfederal), private industry, or individual(s) undertakes such other actions. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time (40 CFR §1508.7).

Current - The movement of electrons in the conductors or transmission lines.

Decay heat (radioactivity) - The heat produced by the decay of certain radionuclides.

Decay (radioactive) - The decrease in the amount of any radioactive material with the passage of time due to the spontaneous transformation of an unstable nuclide into a different nuclide or into a different energy state of the same nuclide; the emission of nuclear radiation (alpha, beta, or gamma radiation) is part of the process.

Decibel (dB) - A logarithmic unit of sound measurement which describes the magnitude of a particular quantity of sound pressure power with respect to a standard reference value, in general, a sound doubles in loudness for every increase of 10 decibels.

Decibel, A-weighted (dBA) - A unit of frequency-weighted sound pressure level, measured by the use of a metering characteristic and the "A" weighting specified by the American National Standards Institute (ANSI) S1.4-1983 (R1 594), that accounts for the frequency response of the human ear.

Decommissioning - The removal from service of facilities such as processing plants, waste tanks, and burial grounds, and the reduction or stabilization of radioactive contamination. Decommissioning includes decontamination, dismantling, and return of the area to original condition without restrictions or partial decontamination, isolation of remaining residues, and continuation of surveillance and restrictions.

Decontamination - The actions taken to reduce or remove substances that pose a substantial present or potential hazard to human health or the environment, such as radioactive or chemical contamination from facilities, equipment, or soils by washing, heating, chemical or electrochemical action, mechanical cleaning, or other techniques.

Depleted uranium - A mixture of uranium isotopes where uranium-235 represents less than 0.7 percent of the uranium by mass.

Derate - Reduction in operating power production level.

Design-basis accident - For nuclear facilities, information that identifies the specific functions to be performed by a structure, system, or component and the specific values (or ranges of values) chosen for controlling parameters for reference bounds for design. These values may be (1) restraints derived from generally accepted state-of-the-art practices for achieving functional goals; (2) requirements derived from analysis (based on calculation and/or experiments) of the effects of a postulated accident for which a structure, system, or component must meet its functional goals; or (3) requirements derived from Federal safety objectives, principles, goals, or requirements.

Design-basis events - Postulated disturbances in process variables that can potentially lead to design-basis accidents.

Distribution (electrical) - The system of lines, transformers, and switches that connect the transmission network and customer load. The transport of electricity to ultimate use points such as homes and businesses. The portion of an electric system that is dedicated to delivering electric energy to an end user at relatively low voltages.

Dose - The energy imparted to matter by ionizing radiation. The unit of absorbed dose is the rad.

Dose equivalent - The product of absorbed dose in rad (or Gray) and a quality factor, which quantifies the effect of this type of radiation in tissue. Dose equivalent is expressed in units of rem or Sievert, where 1 rem equals 0.01 Sievert.

Dose rate - The radiation dose delivered per unit time (e.g., rem per year).

Dosimeter - A small device (instrument) carried by a radiation worker that measures cumulative radiation dose (e.g., film badge or ionization chamber).

Drift - Effluent mist or spray carried into the atmosphere from cooling towers.

Drinking water standards - The level of constituents or characteristics in a drinking water supply specified in regulations under the Safe Drinking Water Act as the maximum permissible.

Effective dose equivalent - The sum of the products of the dose equivalent received by specified tissues of the body and a tissue-specific weighting factor. This sum is a risk-equivalent value and can be used to estimate the health effects risk to the exposed individual. The tissue-specific weighting factor represents the fraction of the total health risk resulting from uniform whole-body irradiation that would be contributed by that particular tissue. The effective dose equivalent includes the committed effective dose equivalent from internal deposition of radionuclides, and the effective dose equivalent due to penetrating radiation from sources external to the body. Effective dose equivalent is expressed in units of rem or Sievert.

Effluent - A gas or fluid discharged into the environment.

Endangered species - Any species which is in danger of extinction throughout all or significant portions of its range. The Endangered Species Act of 1973, as amended, establishes procedures for placing species on the Federal lists of endangered or threatened species.

Endangered Species Act of 1973 - The Act requires Federal agencies, with the consultation and assistance of the Secretaries of the Interior and Commerce, to ensure that their actions likely will not jeopardize the continued existence of any endangered or threatened species, or adversely affect the habitat of such species.

Engineered safety features - For a nuclear facility, features that prevent, limit, or mitigate the release of radioactive material from its primary containment.

Entrainment - The involuntary capture and inclusion of organisms in streams of flowing water; a term often applied to the cooling water systems of power plants/reactors. The organisms involved may include phyto- and zooplankton, fish eggs and larvae (ichthyoplankton), shellfish larvae, and other forms of aquatic life.

Environment - The sum of all external conditions and influences affecting the life, development, and ultimately the survival of an organism.

Environmental justice - The fair treatment of people of all races, cultures, incomes, and educational levels with respect to the development, implementation, and enforcement of environmental laws, regulations, and policies. Fair treatment implies that no population of people should be forced to shoulder a disproportionate share of the negative environmental impacts of pollution or environmental hazards due to a lack of political or economic influence.

Exposure to radiation - The incidence of radiation on living or inanimate material by accident or intent. Background exposure is the exposure to natural background ionizing radiation. Occupational exposure is the exposure to ionizing radiation that occurs at a person's workplace. Population exposure is the exposure to a number of persons who inhabit an area.

Exposure pathway - The course a chemical or physical agent takes from the source to the exposed organism. The pathway describes a unique mechanism by which an individual or population is exposed to chemicals or physical agents at or originating from the site. Each exposure pathway includes a source or release from a source, an exposure point, and an exposure route. If the exposure point differs from the source, a transport/exposure medium (e.g., air) is included.

Fission (fissioning) - The splitting of a nucleus into at least two other nuclei and the release of a relatively large amount of energy. Two or three neutrons are usually released during this type of transformation.

Fission products - Nuclei formed by the fission of heavy elements (primary fission products); also, the nuclei formed by the decay of the primary fission products, many of which are radioactive.

Floodplain - The lowlands adjoining inland and coastal waters and relatively flat areas.

Fuel assembly - A cluster of fuel rods (or plates), also called a fuel element. Approximately 200 fuel assemblies make up a reactor core.

Fuel rod - Nuclear reactor component that includes the fissile material.

Gamma rays - High-energy, short-wavelength, electromagnetic radiation accompanying fission and either emitted from the nucleus of an atom or emitted by some radionuclide or fission product. Gamma rays are very penetrating and can be stopped only by dense materials (such as lead) or a thick layer of shielding materials.

Habitat - The environment occupied by individuals of a particular species, population, or community.

Hazardous material - A material, including a hazardous substance, as defined by 49 CFR §171.8, which poses a risk to health, safety, and property when transported or handled.

Hazardous/toxic air pollutants - Air pollutants known or suspected to cause serious health problems such as cancer, poisoning, or sickness, and may have immunological, neurological, reproductive, developmental, or respiratory effects.

Hazardous waste - Any solid waste (can also be semisolid or liquid, or contain gaseous material) having the characteristics of ignitability, corrosivity, toxicity, or reactivity, defined by the Resource Conservation and Recovery Act, and identified or listed in 40 CFR Part 261 or by the Toxic Substances Control Act.

Heat exchanger - A device that transfers heat from one fluid (liquid or gas) to another.

High efficiency particulate air filter (HEPA) - A filter used to remove very small particulates from dry gaseous effluent streams.

High(ly) enriched uranium - Uranium that is equal to or greater than 20 percent uranium-235 weight. Many of the fuels discussed in this EIS are based primarily on highly enriched uranium.

Historic resources - Archaeological sites, architectural structures, and objects produced after the advent of written history dating to the time of the first Euro-American contact in an area.

Hybernacula - Places, e.g., caves or other protected areas, where bats hibernate during the winter.

Ichthyoplankton - The early life stages of fish (eggs and larvae) that spend part of their life cycle as free-floating plankton.

Impingement - The process by which aquatic organisms too large to pass through the screens of a water intake structure become caught on the screens and are unable to escape.

Interim storage - Safe and secure storage for spent nuclear fuel and radioactive wastes until the materials are treated and/or disposed of).

Ion - An atom that has too many or too few electrons, causing it to be electrically charged; an electron that is not associated (in orbit) with a nucleus.

Ion exchange - A unit physiochemical process that removes anions and cations, including radionuclides, from liquid streams (usually water) for the purpose of purification or decontamination.

Ionizing radiation - Alpha particles, beta particles, gamma rays, neutrons, high-speed electrons, high-speed protons, and other particles or electromagnetic radiation that can displace electrons from atoms or molecules, thereby producing ions.

Irradiation - Exposure to radiation.

Isotope - An atom of a chemical element with a specific atomic number and atomic mass. Isotopes of the same element have the same number of protons, but different numbers of neutrons and different atomic masses. Isotopes are identified by the name of the element and the total number of protons and neutrons in the nucleus. For example, plutonium-239 is a plutonium atom with 239 protons and neutrons.

Laydown - Area of construction site used to sort and store construction materials.

Licensee amendment - Changes to an existing reactor's operating license that are approved by the U.S. Nuclear Regulatory Commission.

Light water - The common form of water (a molecule with two hydrogen atoms and one oxygen atom, H₂O) in which the hydrogen atom consists completely of the normal hydrogen isotope (one proton).

Light water reactor - A nuclear reactor in which circulating light water is used to cool the reactor core and to moderate (reduce the energy of) the neutrons created in the core by the fission reactions.

Long-term lay-up - The shutdown of a generating facility to store or reserve for future use.

Low-level waste - Waste that contains radioactivity, but is not classified as high-level waste, transuranic waste, spent nuclear fuel, or by-product material as defined by Section 112 (2) of the Atomic Energy Act of 1954, as amended. Test specimens of fissionable material irradiated for research and development only, and not for the production of power or plutonium, may be classified as low-level waste, provided the concentration of transuranic waste is less than 100 nanocuries per gram. Some low-level waste is considered classified because of the nature of the generating process and/or constituents, because the waste would tell too much about the process.

Macrophyte - An aquatic plant that grows in or near water and is emergent, submergent, or floating.

Makeup water - Replacement for water lost through drift, blowdown, or evaporation (as in a cooling tower).

Man-rem - Unit of radiation dose to an individual.

Maximally exposed individual - A hypothetical person who could potentially receive the maximum dose of radiation or hazardous chemicals.

Megawatt (MW) - A unit of power equal to 1 million watts. "Megawatt-thermal" is commonly used to define heat produced, while "megawatt-electric" defines electricity produced.

Millirem - One thousandth of a rem.

Minority population - A population classified by the Bureau of the Census as Black, Hispanic, Asian and Pacific Islander, American Indian, Eskimo, Aleut, and other nonwhite persons, the composition of which is at least equal to or greater than the state minority average of a defined area of jurisdiction.

National Ambient Air Quality Standards (NAAQS) - Uniform, national air quality standards established by the Environmental Protection Agency under the authority of the Clean Air Act that restrict ambient levels of criteria pollutants to protect public health (primary standards) or public welfare (secondary standards), including plant and animal life, visibility, and materials. Standards have been set for ozone, carbon monoxide, particulates, sulfur dioxide, nitrogen dioxide, and lead.

National Historic Preservation Act (NHPA) - This Act provides that property resources with significant national historic value be placed on the national Register of Historic Places. It does not require any permits, but, pursuant to Federal code, if a proposed action might impact an historic property resource, it mandates consultation with the proper agencies.

National Pollutant Discharge Elimination System (NPDES) - Federal permitting system required for water pollution effluents under the Clean Water Act, as amended.

National Register of Historic Places (NRHP) - A list maintained by the Secretary of the Interior of districts, sites, buildings, structures, and objects of prehistoric or historic local, state, or national significance under Section 2(b) of the Historic Sites Act of 1935(16 U.S.C. 462) and Section 101(a) (1) (A) of the National Historic Preservation Act of 1966, as amended.

Nuclear reactor - A device that sustains a controlled nuclear fission chain reaction, which releases energy in the form of heat.

Nuclear Regulatory Commission (NRC) - The Federal agency that regulates the civilian nuclear power industry in the United States.

Nuclide - A species of atom characterized by the constitution of its nucleus and, hence, by the number of protons, the number of neutrons, and the energy content.

Outfall- The discharge point of a drain, sewer, or pipe as it empties into a body of water.

Peaking capacity - The capacity of facilities or equipment normally used to supply incremental gas or electricity under extreme demand conditions. Peaking capacity is generally available for a limited number of days at a maximum rate.

Peak load - The maximum load consumed or produced by a unit or group of units in a stated period of time.

Pellets - One configuration of the reactive material in a target rod.

Person-rem - The unit of collective radiation dose to a given population; the sum of the individual doses received by a population segment.

Plume - A flowing, often somewhat conical, trail of emissions from a continuous point source.

Plume immersion - With regard to radiation, the situation in which an individual is enveloped by a cloud of radiation gaseous effluent and receives an external radiation dose.

Pressurized water reactor - A light water reactor in which heat is transferred from the core to an exchanger by water kept under pressure in the primary system. Steam is generated in a secondary circuit. Many reactors producing electric power are pressurized water reactors.

Primary system - With regard to nuclear reactors, the system that circulates a coolant (e.g., water) through the reactor core to remove the heat of reaction.

Probabilistic risk assessment - A comprehensive, logical, and structured methodology to identify and quantitatively evaluate significant accident sequences and their consequences.

Probabilistic safety assessment - A systematic and comprehensive methodology of determining the risks associated with the operation of a nuclear plant.

Probable maximum flood - The hypothetical flood (peak discharge, volume, and hydrograph shape) that is considered to be the most severe reasonably possible, based on comprehensive hydrometeorological application of Probable Maximum Precipitation, and other hydrologic factors favorable for maximum flood runoff, such as sequential storms and snowmelt.

Probable maximum precipitation - The theoretically greatest depth of precipitation for a given duration that is physically possible over a particular drainage area at a certain time of year. (Reference: American Meteorological Society, 1959).

Processing (of spent nuclear fuel) - Applying a chemical or physical process designed to alter the characteristics of the spent fuel matrix.

Project area - The area within the BLN site where all construction activity would occur for either Alternative B or C. The project area includes the south security check point on Bellefonte Road shown in the map inset. The project area for the nuclear generation alternatives is shown on the B&W and AP1000 site plans (Figures 2-1 and 2-12, respectively).

Radiation - The emitted particles or photons from the nuclei of radioactive atoms. Some elements are naturally radioactive; others are induced to become radioactive by bombardment in a reactor. Naturally occurring radiation is indistinguishable from induced radiation.

Radiation shielding - Radiation-absorbing material that is interposed between a source of radiation and organisms that would be harmed by the radiation (e.g., people).

Radioactive waste - Materials from nuclear operations that are radioactive or are contaminated with radioactive material and for which use, reuse, or recovery are impractical.

Radioactivity - The spontaneous decay or disintegration of unstable atomic nuclei, accompanied by the emission of radiation.

Radiological - Related to radiology, the science that deals with the use of ionizing radiation to diagnose and treat disease.

Radwaste - Radioactive materials at the end of their useful life or in a product that is no longer useful and requires proper disposal.

Raw water – Untreated water from the plant intake supplied to the circulating water system and the service water system to make up for water which has been consumed and discharged as part of the system operations.

Reactor - A device or apparatus in which a chain reactor of fissionable material is initiated and controlled; a nuclear reactor.

Reactor accident - See "design basis accident; severe accident."

Reactor coolant system - The system used to transfer energy from the reactor core either directly or indirectly to the heat rejection system.

Reactor core - In a heavy water reactor: the fuel assemblies including the fuel and target rods, control assemblies, blanket assemblies, safety rods, and coolant/moderator. In a light water reactor: the fuel assemblies including the fuel and target rods, control rods, and coolant/moderator. In a modular high-temperature gas-cooled reactor: the graphite elements including the fuel and target elements, control rods, and other reactor shutdown mechanisms, and the graphite reflectors.

Reactor facility - Unless it is modified by words such as containment, vessel, or core, the term reactor facility includes the housing, equipment, and associated areas devoted to the operation and maintenance of one or more reactor cores. Any apparatus that is designed or used to sustain nuclear chain reactions in a controlled manner, including critical and pulsed assemblies and research, tests, and power reactors, is defined as a reactor. All assemblies designed to perform subcritical experiments that could potentially reach criticality are also to be considered reactors.

Record of decision (ROD) - A document prepared in accordance with the requirements of the Council on Environmental Quality and National Environmental Policy Act regulations 40 CFR §1505.2, that provides a concise public record of the decision on a proposed Federal action for which an environmental impact statement was prepared. A Record of Decision identifies the alternatives considered in reaching the decision, the environmentally preferable alternative(s), factors balanced in making the decision, whether all practicable means to avoid or minimize environmental harm have been adopted, and if not, why they were not.

Regolith - A layer of loose, heterogeneous material covering solid rock.

Repository - A place for the disposal of immobilized high-level waste and spent nuclear fuel in isolation from the environment.

Reprocessing (of spent nuclear fuel) - Processing of reactor-irradiated nuclear material (primarily spent nuclear fuel) to recover fissile and fertile material, in order to recycle such materials primarily for defense programs or generation of electricity. Historically, reprocessing has involved aqueous chemical separations of elements (typically uranium or plutonium) from undesired elements in the fuel.

Resin - An ion-exchange medium; organic polymer used for the preferential removal of certain ions from a solution.

Risk - In accident analysis, the probability-weighted consequence of an accident, defined as the accident frequently per year multiplied by the dose. The term "risk" also is used commonly in other applications to describe the probability of an event occurring.

Risk assessment (chemical or radiological) - The qualitative and quantitative evaluation performed in an effort to define the risk posed to human health and/or the environment by the presence or potential presence and/or use of specific chemical or radiological materials.

Runoff - The portion of rainfall, melted snow, or irrigation water that flows across the ground surface and eventually enters streams.

Safety analysis report (SAR) - A safety document that provides a complete description and safety analysis of a reactor design, normal and emergency operations, hypothetical accidents and their predicted consequences, and the means proposed to prevent such accidents or mitigate their consequences.

Safety evaluation report - A document prepared by the U.S. Nuclear Regulatory Commission that evaluates documentation (i.e., technical specifications, safety analysis reports, and special safety reviews and studies) submitted by a reactor licensee for its approval. This ensures that all of the safety aspects of part or all of the activities conducted at a reactor are formally and thoroughly analyzed, evaluated, and recorded.

Scoping - The solicitation of comments from interested persons, groups, and agencies at public meetings, public workshops, in writing, electronically, or via fax to assist in defining the proposed action, identifying alternatives, and developing preliminary issues to be addressed in an environmental impact statement.

Secondary system - The system that circulates a coolant (water) through a heat exchanger to remove heat from the primary system.

Seismic Category I - Safety-related structures, systems, and components that are designed and built to withstand the maximum potential earthquake stresses for the particular region where a nuclear plant is sited, without loss of capability to perform their safety functions.

Seismicity - The tendency for earthquakes to occur.

Severe accident - An accident with a frequency rate of less than 10⁻⁶ per year that would have more severe consequences than a design-basis accident, in terms of damage to the facility, off-

site consequences, or both. Also called "beyond design-basis reactor accidents" for this environmental impact statement.

Shutdown - For a U.S. Department of Energy (DOE) reactor, that condition in which the reactor has ceased operation and DOE has declared officially that it does not intend to operate it further (see DOE Order 5480.6, - Safety of Department of Energy-Owned Nuclear Reactors).

Source term - The estimated quantities of radionuclides or chemical pollutants released to the environment.

Spanned - Those areas of high relief where the transmission is high above the canopy such that ROW clearing is not necessary.

Spent nuclear fuel - Fuel that has been withdrawn from a nuclear reactor following irradiation, the constituent elements of which have not be separated.

Threatened species - Any species designated under the Endangered Species Act as likely to become an endangered species within the foreseeable future throughout all or a significant portion of its range.

Tier - To link to another in a hierarchical chain. An upper-tier document might be programmatic to the entire DOE complex of sites; a lower-tier document might be specific to one site or process.

Transient - A change in the reactor coolant system temperature, pressure, or both, attributed to a change in the reactor's power output. Transients can be caused by (1) adding or removing neutron poisons, (2) increasing or decreasing electrical load on the turbine generator, or (3) accident conditions.

Tritiated (liquid) - Tritiated liquid is water that contains tritium. The most common form of tritium is in water, because both radioactive tritium and nonradioactive hydrogen react with oxygen in the same way to form water. When this happens, tritium replaces one of the stable hydrogens in the water molecule, H₂O, creating tritiated water, which is colorless, odorless, and radioactive.

Tritium - A radioactive isotope of the element hydrogen with two neutrons and one proton. Common symbols for the isotope are "H-3" and "T." Tritium has a half-life of 12.3 years.

Underbuilt - When one or more lines are strung on an existing transmission structure.

Uprate – The process of increasing the maximum power level a commercial nuclear power plant may operate.

Uranium - A heavy, silvery-white metallic element (atomic number 92) with several radioactive isotopes that is used as fuel in nuclear reactors.

Vault - A reinforced concrete structure for storing strategic nuclear materials used in national defense or other programmatic purposes, or for disposing of radioactive or hazardous waste.

Wetlands - Land or areas exhibiting the following: hydric soil conditions, saturated or inundated soil during some portion of the year, and plant species tolerant of such conditions; also, areas

that are inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.

Whole-body dose - With regard to radiation, the dose resulting from the uniform exposure of all organs and tissues in a human body. (Also see effective dose equivalent.)

χ/Q (**Chi/Q**) - The relative calculated air concentration due to a specific air release and atmospheric dispersion; units are (seconds per cubic meter). For example (Curies per cubic meter)/(Curies per second)= (seconds per cubic meter) or (grams per cubic meter)/(grams per second) = (seconds per cubic meter).

Page intentionally blank

INDEX

accident	S-9, iv, vii, viii, xii, xiv, 32, 33, 47, 48, 52, 53, 67, 83, 88, 195, 203, 204, 241, 244, 245, 246, 247, 248, 249, 250, 251, 252, 299, 302, 311, 314, 316, 317, 334, 346, 349, 351, 352, 353, 357, 358, 359, 360
air quality	S-9, iv, xv, 11, 20, 59, 60, 62, 63, 64, 83, 144, 146, 184, 192, 204, 207, 209, 312, 328, 349, 356
airborne effluent	201
airborne release	195, 232
aquatic resource	25, 94, 265
archaeological resource	158, 288
area of potential effect (APE)	xi, 158, 159, 287, 288, 349
as low as reasonably achievable (ALARA)	xi, 214, 219, 221, 223, 228, 232, 233, 349
atmospheric dispersion	ix, xvii, 195, 200, 201, 203, 204, 221, 225, 245, 246, 314, 316, 346, 361
Babcock & Wilcox (B&W)	S-1, S-2, S-3, S-4, S-5, i, vi, vii, viii, ix, xi, 1, 2, 4, 6, 15, 16, 18, 19, 27, 28, 29, 31, 32, 34, 37, 38, 40, 41, 44, 53, 54, 68, 69, 71, 76, 77, 78, 79, 86, 87, 88, 89, 91, 93, 96, 97, 98, 99, 100, 101, 102, 104, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 125, 126, 127, 129, 131, 132, 139, 140, 145, 147, 149, 150, 154, 155, 158, 159, 162, 163, 164, 173, 182, 183, 188, 193, 195, 196, 198, 201, 202, 203, 207, 210, 211, 214, 215, 217, 219, 220, 221, 222, 223, 224, 225, 227, 228, 229, 230, 232, 234, 235, 236, 237, 238, 239, 240, 242, 243, 244, 245, 246, 247, 249, 250, 251, 253, 295, 302, 305, 315, 329, 330, 333, 349, 357
base case	S-2, viii, 11, 13, 14, 15, 16, 17, 18, 57, 58, 111
base load	2, 6, 10, 13, 18, 22, 27, 56, 60, 62, 64, 210, 211, 298, 350
base load capacity	10, 350
Baseline	213, 349
best management practices (BMPs)	xi, 74, 91, 96, 126, 133, 144, 145, 149, 150, 260, 264, 279, 285, 287, 338, 341, 350
biological assessment (BA)	xi, 146, 147, 150, 269, 342
biological opinion (BO)	xi, 147, 150, 151
biomass	2, 56, 61, 62, 63, 64, 111, 112, 113, 208, 338
biota	S-9, vii, 83, 116, 214, 224, 225, 260, 264, 271, 297, 298, 299, 301
blowdown	S-3, S-5, ix, xii, xvi, 34, 52, 53, 54, 79, 86, 87, 97, 100, 104, 105, 107, 108, 109, 110, 111, 112, 113, 115, 117, 118, 119, 120, 150, 212, 224, 234, 350, 356
Browns Ferry Nuclear Plant (BFN)	xi, 56, 65, 66, 235, 237
capacity	S-1, S-2, i, vii, viii, 1, 4, 6, 7, 9, 10, 11, 12, 13, 14, 16, 18, 21, 22, 27, 33, 45, 52, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 69, 70, 72, 91, 139, 173, 174, 176, 182, 183, 186, 187, 188, 210, 211, 213, 228, 236, 237, 242, 243, 279, 298, 307, 329, 330, 350, 357
capacity factor	10, 13, 22, 59, 60, 61, 62, 64, 211, 307, 350
carbon	S-1, ix, xii, 1, 14, 17, 22, 115, 204, 207, 208, 209, 211, 234, 298, 307, 329, 356
carbon cycle	207, 208
Category I	37, 38, 39, 47, 192, 359
chemical	S-5, S-10, ii, 79, 84, 86, 113, 114, 115, 116, 117, 118, 119, 120, 126, 139, 150, 151, 154, 185, 187, 188, 189, 228, 234, 264, 271, 295, 296, 311, 316, 317, 349, 352, 353, 355, 356, 357, 359, 360
chemistry	117, 118, 119, 317
Clean Water Act (CWA)	S-4, xii, 25, 94, 107, 130, 133, 140, 279, 344, 356
climate	xiv, 7, 111, 112, 113, 138, 192, 207, 208, 209, 210, 212, 213, 239, 240, 298, 309, 335, 336, 337, 338

climate changexiv, 111, 112, 113, 207, 208, 209, 210, 212, 213, 309, 335, 336, 337

climatology iv, 20, 192

closed-cycle.....22, 33, 65, 77, 87, 100, 104, 140, 212, 213, 296, 330

coal..... xii, 6, 10, 11, 12, 13, 14, 15, 16, 18, 27, 56, 59, 61, 62, 63, 64, 67, 208, 211, 262, 298, 305, 306, 307, 340

commercial light water reactor (CLWR)..... xii, 21, 23, 93, 116, 165, 166, 167, 168, 170, 171, 172, 173, 174, 176, 177, 178, 179, 180, 182, 183, 187, 188, 227, 236, 237, 238, 239, 240, 241, 253, 289, 341, 344

condenser cooling water (CCW)..... 33, 116, 118, 212

conductor..... xi, 70, 72, 74, 75, 265, 268, 286, 290, 292, 306, 351

consumption..... 56, 57, 58, 60, 78, 87, 96, 104, 216, 217, 220, 226, 227, 240, 296, 300, 302, 304, 305, 306, 307

containment..... viii, xi, xii, xiv, 28, 32, 40, 45, 46, 47, 48, 52, 53, 88, 127, 163, 201, 220, 232, 247, 248, 249, 252, 351, 353, 358

cooling tower... 3, 5, 21, 27, 28, 32, 33, 34, 35, 45, 52, 53, 54, 68, 77, 86, 87, 97, 99, 100, 104, 105, 107, 109, 110, 112, 113, 116, 117, 118, 120, 145, 146, 150, 158, 159, 160, 162, 163, 164, 165, 178, 188, 189, 212, 213, 224, 296, 297, 306, 330, 352, 356

cooling water5, xiii, xvi, 21, 32, 33, 52, 68, 79, 100, 104, 105, 113, 114, 115, 116, 117, 119, 136, 140, 212, 213, 296, 300, 302, 304, 306, 342, 351, 353

cost of power..... 1, 17, 18, 20

cultural resource59, 63, 67, 70, 71, 287, 288, 313, 317, 319, 338, 351

cumulative effect... 5, 6, 7, 22, 76, 79, 80, 81, 93, 104, 112, 119, 120, 127, 129, 130, 131, 139, 140, 141, 144, 146, 149, 150, 151, 155, 156, 159, 165, 183, 184, 189, 190, 203, 279

decay 33, 53, 201, 202, 216, 232, 233, 239, 243, 350, 351, 354, 358

decibel (dB).....xii, 163, 164, 351, 352

decommissioning..... iv, 20, 21, 186, 208, 211, 253, 254, 255, 297, 313, 352

decommissioning plan 253, 255

Demand Side Management (DSM)..... xii, xiii, 7, 27, 56, 311

demand-side 7, 22, 55

Department of Energy (DOE) xii, 21, 23, 31, 59, 62, 68, 93, 116, 130, 131, 133, 139, 141, 145, 146, 155, 180, 182, 183, 187, 188, 211, 227, 236, 238, 239, 241, 243, 244, 253, 289, 291, 306, 307, 341, 344, 360

derate..... 214, 352

design basis 38, 192, 249, 351, 358

Detailed Scoping, Estimating, and Planning (DSEP)xiii, 27, 37, 38, 41, 44, 188, 342

diesel..... 9, 24, 28, 33, 35, 44, 47, 52, 62, 83, 88, 115, 119, 121, 126, 206, 207, 296, 297, 304, 306, 307, 336

diffuser S-3, ix, 54, 78, 86, 87, 97, 100, 105, 107, 108, 109, 110, 111, 112, 337, 339, 340

discharge S-3, S-5, vi, vii, ix, xiii, 5, 25, 27, 32, 33, 34, 46, 53, 54, 68, 78, 79, 86, 87, 88, 96, 97, 100, 101, 102, 103, 104, 105, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 120, 127, 128, 139, 149, 150, 151, 154, 173, 214, 217, 218, 220, 224, 226, 227, 232, 236, 239, 242, 243, 262, 291, 296, 330, 336, 337, 340, 351, 356, 357

discharge limit..... 115, 116, 117, 139

dispersion 195, 201, 203, 222, 246, 339

dissolved oxygen (DO) xii, 94, 95, 108, 111, 112, 113, 260

distributor 6, 8, 9, 57

- dose** S-9, vii, viii, xiv, xvi, xvii, 33, 78, 83, 195, 200, 201, 202, 203, 204, 214, 215, 216, 217, 219, 220, 221, 222, 223, 224, 225, 226, 227, 238, 240, 241, 244, 245, 246, 247, 248, 250, 251, 254, 297, 301, 314, 316, 317, 330, 336, 345, 346, 352, 353, 356, 357, 359, 361
- dose equivalent** xvii, 204, 223, 352, 353, 361
- dose rate** 238, 352
- dredge**..... 5, 6, 25, 44, 54, 77, 78, 79, 80, 86, 97, 99, 129, 130, 139, 141, 149, 150, 151, 330
- drift**.....52, 104, 300, 302, 306, 352, 356
- dry storage** 237, 252
- earthquake** vii, 20, 37, 47, 190, 191, 192, 252, 333, 335, 337, 345, 346, 359
- economic growth**..... 7, 9, 300, 301
- education** 170, 171, 176, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319
- effluent**..... vii, 34, 78, 104, 105, 108, 109, 110, 112, 113, 119, 150, 173, 193, 195, 201, 203, 214, 216, 217, 219, 220, 221, 222, 223, 224, 225, 226, 232, 244, 246, 296, 297, 301, 330, 345, 346, 352, 353, 354, 356, 357
- Electric Power Research Institute (EPRI)** xiii, 56, 57, 58, 64, 111, 117, 119, 209, 213, 252, 335
- electricity**..... S-1, S-3, 1, 4, 6, 7, 8, 9, 21, 56, 59, 60, 61, 64, 89, 114, 208, 211, 297, 298, 304, 306, 307, 329, 337, 352, 356, 357, 359
- emission**..... S-1, S-9, vi, ix, 11, 14, 15, 16, 18, 24, 25, 62, 63, 83, 93, 155, 204, 206, 207, 208, 209, 210, 211, 228, 232, 241, 295, 296, 297, 298, 300, 301, 302, 305, 351, 357, 358
- employment** S-7, S-11, iii, vii, 81, 85, 166, 167, 168, 171, 176, 179, 289, 343, 344
- endangered species**..... xiii, 24, 90, 151, 152, 275, 283, 309, 310, 314, 337, 345, 353, 360
- energy conservation** 11, 55, 56, 58, 312
- Energy Efficiency and Demand Response (EEDR)**.... S-2, ix, xiii, 11, 12, 13, 14, 15, 16, 17, 18, 56, 57, 58, 312, 335
- energy mix** 13, 15, 16
- entrainment**.....6, 80, 104, 140, 150, 151, 296, 353
- environmental impact statement (EIS)**..... S-3, xii, xiii, xvi, 4, 18, 21, 22, 23, 55, 59, 67, 68, 170, 171, 255, 297, 307, 328, 335, 337, 339, 341, 344, 346, 354
- environmental justice** S-7, S-11, v, 20, 59, 67, 81, 85, 169, 170, 171, 289, 295, 296, 313, 317, 342, 353
- essential raw cooling water (ERCW)** xiii, 32, 113, 116, 117, 119
- exclusion**..... 34, 186, 215
- exclusion area boundary (EAB)**..... viii, ix, xiii, 34, 36, 53, 195, 196, 197, 201, 202, 203, 204, 215, 225, 246, 247, 248
- Executive Order (EO)** S-10, xiii, 25, 26, 128, 129, 130, 131, 142, 278, 279, 280, 289
- far-field** 5, 79, 108, 111, 112, 113
- federally listed** S-6, S-10, vii, viii, 24, 80, 84, 90, 91, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 267, 269, 270, 271, 272, 273, 274, 275, 277, 283
- final environmental impact statement (FEIS)** xii, xiii, xvi, 21, 22, 23, 55, 67, 93, 116, 127, 141, 165, 166, 167, 168, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 182, 183, 186, 187, 188, 213, 227, 236, 237, 238, 239, 240, 241, 253, 289, 340, 341, 344
- final environmental statement (FES)**.... S-1, S-2, xi, xiii, 1, 4, 7, 18, 21, 23, 27, 28, 53, 64, 66, 67, 89, 93, 104, 116, 120, 127, 141, 154, 165, 166, 167, 170, 171, 172, 173, 174, 176, 177, 178, 179, 182, 183, 184, 185, 190, 191, 192, 204, 206, 207, 214, 215, 216, 220, 221, 227, 228, 232, 236, 241, 245, 247, 253, 254, 339, 340, 342
- Final Safety Analysis Report (FSAR)** .xii, xiii, 4, 5, 6, 23, 28, 46, 116, 118, 120, 127, 129, 190, 191, 192, 217, 218, 221, 227, 228, 234, 242, 245, 246, 247, 248, 338, 339, 340, 341, 342
- fish passage**..... 139

fission	32, 33, 52, 53, 232, 240, 245, 253, 350, 351, 354, 355, 356
flood	S-5, ii, xiii, 19, 33, 45, 47, 54, 79, 94, 97, 127, 128, 129, 130, 194, 278, 279, 315, 357
flood risk	5, 79, 127, 128, 129, 130
floodplain	S-5, S-10, ii, 25, 79, 84, 127, 128, 129, 276, 277, 278, 279, 280, 287, 315, 354
forecast	S-1, S-2, viii, 1, 7, 8, 9, 11, 210, 310, 311, 312, 329
fossil	1, 2, 4, 6, 11, 13, 21, 56, 59, 61, 62, 63, 64, 135, 165, 186, 208, 210, 211, 212, 298, 300, 302, 306, 307, 310, 316
fuel assembly	2, 31, 48, 88, 236, 237, 244, 354
fuel cost	11, 13, 17, 18
fuel cycle	210, 305, 306
fuel price	2, 8, 10, 18
fuel rod	31, 48, 236, 243, 350, 354
garden	201, 202, 214, 221, 226, 227
gas-fired	12, 13, 14, 59, 63, 210, 298
generating capacity	S-1, S-2, 1, 7, 9, 11, 21, 27, 55, 63, 64, 89, 210, 298
global climate change (GCC)	iv, xiii, 20, 93, 192, 207, 209, 210, 298, 335
global warming	207, 211, 339
gray bats	152, 153, 274, 275
greenhouse	xiii, 63, 207, 208, 211, 298, 300
greenhouse gas (GHG)	xiii, 63, 207, 208, 210, 211, 298, 307
groundwater	S-5, S-10, ii, iv, ix, 19, 38, 79, 84, 120, 121, 124, 125, 126, 127, 130, 189, 226, 260, 261, 262, 263, 264, 311, 314, 336, 337, 339, 361
hazardous waste	9, 24, 25, 77, 78, 82, 185, 186, 187, 188, 189, 190, 297, 304, 354, 360
heat dissipation	53, 240
heat load	32, 33, 239, 240, 244
herons	145, 160, 214, 224, 225, 268, 269
Hollywood	2, 34, 67, 121, 160, 165, 167, 174, 175, 177, 180, 184, 322, 323, 324, 329
housing	S-4, S-7, S-11, iii, xiv, 81, 85, 90, 163, 170, 171, 172, 173, 178, 182, 237, 295, 343, 350, 358
human health	59, 142, 249, 352, 359
hybernacula	354
hydrologic	112, 128, 295, 296, 306, 337, 357
hydrology	S-5, S-10, ii, 79, 84, 93, 108, 111, 120, 126, 127, 131, 226, 278, 311
hydropower	11, 62, 344
hydrothermal	ii, 22, 93, 104, 108, 113, 314, 315, 318, 337
ichthyoplankton	354
impingement	6, 80, 104, 136, 137, 138, 140, 150, 151, 296, 339, 341, 355
income	S-7, S-11, iii, vii, 81, 85, 166, 167, 168, 169, 170, 171, 288, 289, 343, 344
Indiana bats	6, 80, 90, 152, 153, 154, 274, 275, 337, 338
instream temperatures	108, 109
intake	S-3, S-6, ix, 5, 27, 28, 32, 34, 45, 52, 53, 54, 68, 77, 78, 80, 86, 87, 97, 99, 100, 101, 102, 103, 104, 105, 109, 110, 111, 112, 119, 129, 130, 136, 139, 140, 141, 149, 150, 158, 185, 213, 330, 342, 358
intake channel	3, 6, 32, 34, 45, 53, 54, 77, 78, 80, 86, 97, 99, 100, 110, 129, 130, 139, 141, 149, 150, 330
intake flows	140

Integrated Resource Management Plan (IRP)	S-1, xiii, xiv, 2, 22, 55, 329
irradiation	242, 243, 244, 353, 355, 360
Jackson County	S-1, S-4, vii, ix, x, 1, 2, 23, 90, 100, 113, 119, 121, 126, 128, 141, 144, 147, 148, 149, 151, 152, 153, 155, 158, 165, 166, 167, 168, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 194, 204, 206, 207, 271, 280, 283, 322, 323, 328, 333, 335, 336, 338, 341, 343, 344
landfill	61, 62, 184, 185, 186, 187, 188, 189, 296, 304
life cycle	135, 210, 211, 240, 354
light water reactor	S-1, S-2, i, ix, xi, xvi, 1, 4, 15, 21, 27, 28, 31, 46, 47, 68, 86, 87, 241, 305, 329, 333, 355, 357, 358
Limestone County	263
liquid effluents	203, 215, 216, 217, 219, 220, 224, 225, 226, 228, 232
liquid radwaste	217, 228
load forecast	1, 2, 8, 9, 10, 11, 56
long-term lay-up	2, 11, 13, 14, 18, 355
low-level radwaste	235
meteorological	x, 34, 53, 55, 104, 112, 127, 193, 195, 200, 213, 221, 226, 227, 245, 246, 247, 250, 297, 312, 333, 346, 357
meteorology	iv, 20, 108, 110, 111, 192, 193, 195, 209, 213, 250, 312, 316, 319, 328, 333, 337, 341
methane	6, 61, 62, 208
microbiological	115, 116
minimum flow	139
minority	S-7, S-11, iii, 81, 85, 168, 169, 170, 171, 289, 295, 296, 343, 356
mitigation	S-3, S-4, S-6, S-10, ii, 19, 25, 27, 71, 74, 76, 80, 89, 90, 91, 97, 133, 156, 164, 171, 172, 182, 183, 211, 246, 255, 273, 274, 277, 278, 279, 285, 295, 297, 340
mixing zone	78, 107, 108, 110, 111, 112, 150, 226, 351
Morgan County	263, 276
mussel sanctuary	282, 284
mussels	4, 6, 80, 113, 115, 116, 138, 139, 147, 148, 149, 150, 151, 270, 281, 282, 284, 314, 318
National Environmental Policy Act (NEPA)	S-3, i, vi, xv, 2, 18, 19, 21, 64, 65, 67, 68, 76, 156, 184, 185, 186, 289, 297, 309, 310, 312, 313, 314, 328, 340, 358
National Historic Preservation Act (NHPA)	xv, 25, 71, 288, 356
National Pollutant Discharge Elimination System (NPDES)	vi, ix, xv, 22, 24, 28, 46, 66, 96, 97, 104, 105, 106, 107, 108, 110, 111, 112, 115, 117, 119, 120, 139, 149, 150, 213, 296, 356
National Register of Historic Places (NRHP)	xv, 25, 158, 159, 287, 288, 356
National Wetlands Inventory (NWI)	xv, 70, 71, 278
natural area ...	S-7, S-10, ii, v, viii, xvi, 19, 67, 70, 71, 81, 84, 154, 155, 160, 280, 281, 283, 285, 314, 318
natural gas	10, 12, 13, 14, 15, 18, 27, 59, 60, 63, 64, 298, 349
near-field effects	108
Noise	S-4, S-7, S-11, iii, v, xiv, 20, 81, 85, 90, 154, 155, 156, 163, 164, 165, 289, 290, 293, 295, 296, 319, 335, 344
nonhazardous	25, 78, 185, 186, 188, 189, 296, 303, 304
nonradiological	126, 184, 185, 188, 189, 190
nontritiated	ix, 228, 230
NPDES permit	28, 96, 105, 107, 108, 110, 112, 115, 117, 119, 120, 149, 150, 213, 296

nuclear capacity 13, 64, 66, 210

nuclear expansion..... viii, 13, 14, 15, 57

nuclear generation..... S-2, S-3, ii, 2, 13, 16, 18, 27, 55, 59, 62, 64, 65, 66, 68, 71, 75, 76, 93, 146, 158, 210, 329, 335, 357

nuclear reactor .. 65, 66, 135, 184, 214, 240, 252, 298, 301, 302, 305, 306, 307, 351, 354, 355, 356, 357, 358, 360

peak load..... 9, 12, 13, 204, 357

peaking capacity 357

permit limits..... 119, 297

photovoltaic (PV).....xvi, 60, 61

pink mucket.....4, 6, 80, 90, 147, 148, 149, 150, 151, 270

plume..... 7, 78, 81, 108, 110, 112, 131, 133, 139, 150, 162, 195, 201, 221, 222, 224, 249, 296, 297, 311, 316, 357

population growth..... 7, 174, 183

poverty level 170

power purchase agreement (PPA)xvi, 10, 11, 13, 56, 63

Preliminary Safety Analysis Report (PSAR).....xvi, 127

pressurized water reactor 38, 68, 237, 357

probabilistic risk assessment (PRA).....xvi, 76, 88, 249, 357

probabilistic safety assessment (PSA).....xvi, 127, 249, 357

probable maximum flood (PMF) S-5, xvi, 79, 128, 129, 130, 357

probable maximum precipitation (PMP)S-5, xvi, 79, 127, 128, 129, 130, 357

radiation xiv, xvi, 24, 33, 52, 60, 195, 214, 216, 219, 220, 221, 222, 223, 224, 226, 233, 238, 240, 241, 244, 252, 254, 301, 336, 346, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 361

radioactive waste 20, 86, 126, 227, 228, 232, 233, 234, 240, 241, 242, 254, 297, 298, 304, 351, 355, 358

radiological effect 78, 330

radiological impact 183, 216, 220, 223, 240, 249

radiological release.....9, 83, 139, 195, 224, 241, 250, 302

radionuclides 121, 214, 221, 224, 232, 252, 253, 254, 301, 351, 353, 355, 360

radwaste..... vii, ix, xvi, 20, 47, 48, 127, 220, 227, 228, 231, 232, 233, 234, 235, 240, 358

raw water.....32, 52, 99, 116, 117, 118, 126, 358

reactor coolant pump 31, 44, 47, 48, 86, 114, 247, 248

reactor coolant system (RCS).....31, 32, 33, 47, 48, 52, 53, 113, 114, 117, 232, 358, 360

reactor core 31, 32, 47, 52, 242, 243, 354, 355, 357, 358

reconductoring..... 72, 74, 75, 306

record of decision (ROD).....S-4, xvi, 19, 22, 23, 90, 150, 151, 341, 358

recreation..... S-7, S-10, iii, v, ix, 1, 20, 63, 81, 84, 94, 105, 156, 157, 260, 282, 285, 315

recreational.....vii, xvi, 156, 170, 172, 177, 216, 217, 226, 280, 284

renewable..... 2, 6, 10, 11, 12, 13, 14, 18, 27, 56, 59, 60, 61, 63, 64, 208, 210, 211, 303, 338, 344

reserve capacity 9

Reservoir Operations Study (ROS) xvi, 22, 23, 93, 213, 341

residence..... 163, 164, 178

residential 7, 6, 8, 56, 57, 58, 61, 81, 123, 128, 160, 163, 164, 165, 172, 177, 178, 263, 278, 280, 285, 293, 338

Resource Conservation and Recovery Act (RCRA) xvi, 24, 25, 28, 185, 354

revenue	iii, 171, 178, 179, 300, 301
risk S-2, S-4, S-5, ii, xiii, 2, 10, 11, 13, 18, 19, 37, 56, 63, 76, 79, 88, 91, 126, 127, 128, 129, 144, 189, 221, 223, 224, 244, 245, 249, 250, 251, 253, 279, 291, 296, 297, 299, 302, 310, 315, 319, 353, 354, 359	
safety S-5, iv, xv, xvi, 2, 6, 20, 21, 28, 32, 33, 37, 39, 44, 46, 47, 48, 52, 53, 67, 70, 72, 76, 77, 79, 88, 89, 126, 127, 128, 129, 130, 162, 163, 212, 213, 214, 221, 223, 224, 238, 244, 245, 248, 249, 251, 252, 292, 297, 316, 318, 328, 330, 339, 344, 349, 352, 353, 354, 358, 359	
Safety Analysis Report (SAR) .. xii, xiii, xvi, 4, 5, 6, 23, 28, 46, 70, 71, 116, 118, 120, 127, 129, 190, 191, 192, 217, 218, 221, 227, 228, 234, 242, 245, 246, 247, 248, 257, 287, 338, 339, 340, 341, 342, 359	
Safety Evaluation Report	6, 127, 359
schools	S-4, S-7, iii, 81, 90, 171, 176, 177, 178, 263, 295, 300, 301, 334
Scottsboro ...	2, 20, 34, 67, 69, 99, 121, 160, 165, 166, 170, 172, 173, 174, 175, 176, 177, 180, 184, 217, 257, 322, 323, 324, 327, 328
security	iv, 20, 27, 34, 35, 38, 45, 76, 93, 100, 166, 180, 182, 244, 251, 252, 253, 254, 299, 328, 357
seismic	S-9, xi, 32, 37, 38, 39, 47, 82, 190, 191, 192, 333, 345, 359
seismology	S-9, iii, 20, 82, 190, 316
Sequoyah Nuclear Plant (SQN)	xvii, 56, 65, 66, 188, 189, 227, 235, 236, 237, 238, 239, 240, 283
severe accident	244, 249, 250, 253, 299, 358, 359
sheepnose mussel	147, 150
shipment	54, 182, 187, 233, 235, 242, 243, 244
socioeconomics	S-7, S-11, iii, v, 1, 20, 59, 63, 67, 81, 85, 93, 165, 170, 171, 183, 184, 288, 289, 295, 296, 298, 299, 300, 301, 303, 304, 311, 313, 317, 318, 319, 328
solar	S-2, xii, 10, 60, 62, 63, 64, 112
solid waste	28, 78, 184, 185, 186, 187, 188, 189, 234, 254, 354
spent fuel	20, 52, 78, 88, 93, 236, 237, 238, 239, 242, 243, 244, 297, 298, 304, 305, 330, 357
state-listed	4, 6, 10, 80, 84, 90, 91, 146, 149, 150, 151, 152, 153, 154, 155, 267, 269, 271, 272, 273, 274, 277, 278, 283
steam generator	31, 37, 44, 45, 46, 48, 54, 77, 86, 97, 113, 114, 115, 118, 163, 164, 187, 204, 207, 234, 330
storage module	238, 239
supply-side	13, 55
surface water	5, 10, 79, 84, 96, 99, 100, 112, 113, 116, 117, 119, 126, 130, 173, 226, 260, 262, 263, 264, 265, 296, 297, 304, 306, 350, 361
sustainable	57
switchyard	S-3, viii, 5, 27, 28, 34, 40, 45, 48, 53, 54, 59, 68, 69, 71, 72, 86, 97, 129, 162, 257, 279, 280, 286, 289
tax revenue	7, 11, 81, 85, 176, 179, 295, 299, 301
tax-equivalent payments	179
temperature limits	78, 108
terrestrial	S-6, S-10, ii, viii, 19, 63, 67, 80, 84, 141, 142, 144, 145, 146, 152, 153, 154, 155, 220, 224, 225, 267, 268, 269, 272, 274, 275, 277, 278, 295, 296, 298, 299, 312, 314, 315, 328
terrorist	251, 252, 253
thermal discharge	6, 66, 80, 112, 135
thermal efficiency	77, 89
thermal effluent	6, 80, 109, 110, 112, 150

thermal limit..... 66, 108, 110, 112, 113, 213, 214

threatened and endangered..... 154, 310, 312, 313, 314, 315

tornado..... x, xiii, 32, 47, 194, 319

toxicity..... 354

traffic S-4, S-7, xi, 81, 90, 91, 159, 160, 162, 163, 170, 179, 180, 182, 183, 184, 188, 206, 207, 274, 286, 288, 295, 296, 300, 301, 333

transmission.... S-2, S-3, S-4, S-10, i, ii, iv, vi, viii, ix, x, xvii, 2, 5, 6, 7, 8, 18, 20, 27, 34, 45, 48, 53, 54, 56, 62, 63, 65, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 84, 86, 89, 90, 91, 97, 129, 146, 147, 153, 160, 178, 184, 257, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 295, 296, 297, 298, 299, 301, 303, 306, 310, 312, 313, 316, 328, 329, 334, 338, 341, 342, 351, 352, 360

transportation.... S-7, iii, iv, xi, xii, 20, 54, 55, 67, 81, 90, 93, 144, 151, 166, 170, 172, 179, 180, 182, 183, 241, 242, 243, 244, 252, 297, 298, 304, 310, 314, 316, 333, 342, 345

tritium xii, 21, 23, 68, 121, 126, 127, 180, 186, 237, 312, 341, 344, 360

turbine ...vii, viii, 4, 6, 10, 13, 21, 28, 32, 35, 37, 38, 40, 41, 44, 47, 48, 52, 53, 56, 59, 60, 62, 63, 77, 86, 114, 115, 118, 162, 184, 189, 201, 202, 203, 220, 222, 232, 330, 360

turbine building 28, 38, 47, 52, 53, 77, 86, 115, 189, 201, 202, 203, 220, 222, 232, 330

U.S. Fish and Wildlife Service (USFWS) S-4, xvii, 19, 24, 90, 131, 142, 147, 150, 151, 154, 269, 272, 275, 278, 321, 338, 341, 345

uprate 10, 13, 56, 63, 72, 75, 360

visual S-7, S-10, iii, v, 20, 39, 48, 81, 84, 121, 127, 158, 159, 160, 162, 286, 287, 288, 317, 349

visual resources 7, 10, 81, 84, 162, 286

waste heat..... 32, 104, 112, 212

wastewater.... S-3, S-7, iii, 5, 25, 27, 46, 61, 62, 81, 97, 100, 104, 105, 113, 119, 121, 173, 174, 185, 310, 311, 314

water intake 35, 100, 140, 355

water quality S-5, S-10, ii, xii, 20, 25, 79, 84, 93, 94, 96, 97, 105, 108, 111, 112, 116, 117, 119, 120, 126, 130, 138, 139, 149, 257, 260, 264, 271, 296, 310, 311, 314, 328, 333, 334, 339, 340, 350

water supply S-5, S-7, iii, 10, 22, 67, 79, 81, 93, 94, 104, 126, 173, 174, 226, 260, 322, 339, 353

water system 32, 52, 99, 113, 114, 115, 116, 117, 118, 173, 174, 358

water use..... S-5, S-10, ii, vi, 59, 79, 84, 87, 93, 99, 104, 113, 156, 173, 216, 240, 295, 296, 300, 334, 351

Watts Bar Nuclear Plant (WBN) xvii, 19, 56, 65, 66, 140, 150, 227, 235, 236, 312, 341

wetland..... S-4, S-6, S-10, ii, v, ix, x, 19, 25, 26, 67, 70, 74, 80, 84, 90, 91, 130, 131, 132, 133, 134, 145, 146, 153, 265, 268, 276, 278, 279, 282, 313, 335, 338, 345, 360

Widows Creek Fossil Plant (WCF)..... xvii, 69, 99, 111, 112, 136, 137, 138, 140, 162, 341

wildlife .. S-6, S-10, ii, v, xvii, 80, 84, 94, 145, 146, 152, 153, 154, 155, 156, 260, 267, 268, 269, 274, 278, 281, 282, 283, 284, 285, 296, 303, 309, 313, 314, 315, 318, 321, 322, 335, 339, 345

wind..... S-2, xiii, 6, 10, 11, 13, 14, 32, 55, 56, 59, 60, 62, 63, 64, 128, 129, 130, 193, 194, 195, 207, 226, 344

workforce 7, 54, 77, 81, 166, 173, 174, 182, 183, 184, 207, 295, 330