

64

JAN 30 2002

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: WILLIAM & CAROLYN HOUSE

Address: 110 ROSE MARIE LANE

CLINTON, TN. 37716

Phone: (865) 945-3280

Comments (please use the space below):

Please see attached

WE ARE NOT IN FAVOR OF THIS PROJECT.

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environments impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

53

JAN 29 2002

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: Danny & Coni Huddle

Address: 130 Campbell Ln.
Clinton TN 37716

Phone: 865 482-9596

Comments (please use the space below):

Please see attached

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environmental impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise, warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: DAVID & MIRIAM JAGELS

Address: 1410 HENDERSON BEND ROAD

KNOWVILLE, TN 37931

Phone: hi: 945-1382 li: 541-4736

Comments (please use the space below):

Please see attached

— Please do what is right and just!

Thank you,

David Jagel

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environments impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

15

FEB 05 2002

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: Lee Ann Jenkins-Freels

Address: 112 Jones Lane

Clinton, Tennessee 37716

Phone: (865) 945-7604

Comments (please use the space below):

Please see attached

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environments impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

FEB 02 2002

Name: Bee Louedag
Address: 130 Walker
Clinton Tenn 37716
Phone: 865-945-8924

Comments (please use the space below):

Please see attached

Concerns — water levels
noise levels
Blasting damage to homes
detachment of shore line
We have group trash to deal
with - foot need buy more —
property values decreased

Increased
fluctuation

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

50

JAN 29 2002

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name:

Donald Louely

Address:

100 Tracy Allison Lane
Clinton, TN 37714

Phone:

1-865-945-2543

Comments (please use the space below):

Please see attached

We are concerned of the danger to boats & jet skis coming under the bridge from the west and the buoy being close to the piers on bridge : obstruction of view

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environments impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

Sent noise
Stud - 2-11-2002

18
FEB 11 2002

February 7, 2002

Richard L. Toennisson
TVA – Environmental Scientist – Mideast Region
2009 Grubb Road
Lenoir City, TN. 37771-7129

Dear Mr. Toennisson:

I am one of the citizens who attended the Hallsdale Powell meeting on January 24, 2002. I spoke with you after the meeting asking if I could obtain a copy of the "draw down study" that TVA was conducting. I am not sure if this study is complete at this time or not. I would like a copy of this study if it has been completed or get a copy once it has been completed. In addition, it is my understanding that TVA has completed a initial "environmental impact study" that reflects our community will not be affected by this structure. If available, I would also like a copy of this study.

I am sure you are aware that it is our hope that something will show that Hallsdale Powell will have to locate their intake structure in an area that has less impact on the community. If there is a cost for a copy of these studies, please let me know by phone or mail and I will forward a check immediately.

Thank you,



PAT MCBEE
206 Jones Lane
Clinton, TN. 37716
(865) 945-2080

/pgm

cc Marty Tyree, Nashville District Corps of Engineers

February 7, 2002

Nashville District Corps of Engineers
ATTN: MARTY G. TYREE
Regulatory Branch
3701 Bell Road
Nashville, TN. 37214-2660

RE: Proposed Installation of Raw Water Intake Structure in Bull
Run Embayment of Melton Hill Lake, Anderson County

Dear Mr. Tyree:

It was nice to finally meet you at the January 24th, meeting regarding the referenced installation. Again, after the meeting of January 24th, I would like to reiterate my opposition to this installation. The meeting was somewhat informative although some very important information was not disclosed - specifically, but not limited to, the noise study that was alluded to but details not given. Enclosed you will find a copy of a letter I have mailed Mr. Campbell again requesting a copy of this study.

It is the general consensus of the neighborhood that Hallsdale Powell and TVA know that there is not enough water in the embayment to accomplish what Hallsdale Powell has proposed. Basically, they will get their foot in the door and then advise TVA that they are producing nothing but "muddy water" and then request that they be allowed to install a pipeline from the embayment area to the main channel where they will be able to produce "clean water". It is a lot cheaper to install a pipeline to the main channel than a road. Hallsdale Powell has stated that "cost" was the deciding factor in their decision to install this structure where proposed. This will then leave the residential community surrounding this area to have to deal with the noise, environmental, recreational and economical impact from this structure.

In addition, TVA advises they don't have an opinion one-way or the other if this intake structure is installed or not as long as Hallsdale meets their "federal requirements". I don't understand this position since TVA is a part of the community. Why would TVA not want Hallsdale Powell to locate this structure in an area that has the least impact regardless of "federal requirements"? I would have thought residential impact would be a part of these requirements but I guess I am mistaken since they are adamant that "we" don't count.

I am person who understands that change will occur and I generally do not want to stand in the way of progress. But, in this particular situation there are better solutions to Hallsdale Powell's problems. Thank you for taking the time to listen to my opposition even if for naught.

Sincerely,



PAT MCBEE
206 Jones Lane
Clinton, TN. 37716
(865) 945-2080

/pgm

cc Robert Campbell & Associates
Scott Ledford, TVA
Richard Toennisson, TVA

Public Comments

JAN 31 2002

Tennessee Valley Authority
Melton Hill Reservoir

Name: Claude McCreight

Address: 157 Walker Cir.

Clinton TN 37716

Phone: 865-945-3887

Comments (please use the space below): *They ought to dredge
Bull Run Creek used existing Pump @
Bee Wells Rd.
Please see attached*

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environments impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

27
FEB 14 2002

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: Glenna McGhee

Address: 2386 Dutch Valley Rd.

Clinton, TN 37716

Phone: 865-457-5962

Comments (please use the space below):

Please see attached

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environmental impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

28

Public Comments

FEB 04 2002

Tennessee Valley Authority
Melton Hill Reservoir

Name: Mr. & Mrs. Lawrence McIntosh

Address: 156 Wacker Cr.

Clinton, Ga. 31716

Phone: (865) 945-3196

Comments (please use the space below):

Please see attached

We are definitely against this
water intake plant being
built on Bull Run Creek
environment.
Joyce McIntosh

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environments impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

Ledford, W Scott

From: Randy McNally [sen.randy.mcnally@legislature.state.tn.us]
Sent: Tuesday, February 19, 2002 4:33 PM
To: 'wsledford@tva.gov'

Dear Mr. Ledford:

Mrs. Carolyn Davis Ownby recently has written me regarding the proposed Hallsdale Powell Utility District application for a permit to install a water intake structure on Bull Run Creek.

Mrs. Ownby has expressed some of her concerns regarding this project. I would very much appreciate if you could work with her and other residents to ease those concerns.

Sincerely,
<<...OLE_Obj...>>
Randy McNally

RMc:ar

Tennessee Senate

RANDY McNALLY

R-Oak Ridge
District 5 - Anderson, Campbell,
and part of Knox counties



District Address

121 Amanda Drive
Oak Ridge, TN 37830
Phone (423) 483-5544

Nashville Address

302 War Memorial Building
Nashville, TN 37243-0205
Phone (615) 741-6806
Staff Contact: Anne Rasmussen and Rick
Nicholson

Internet E-Mail Address

sen.randy.mcnelly@legislature.state.tn.us

Biographical Information

- Married, two children
- Graduate of Oak Ridge High School 1962
- B.S. Memphis State University 1967
- U.T. College of Pharmacy 1969
- Hospital Pharmacist, 1978 to present, at Methodist Medical Center, Oak Ridge, TN

Public Office

- Senate member of the 95th through 102nd General Assemblies
- House member of the 91st through 94th General Assemblies

Community Involvement

- Distinguished Service Award, UT College of Pharmacy 1996
- Paul Harris Fellow, Rotary International 1996
- Bill Bates Award 1994
- MADD Outstanding Legislator, Distinguished Service Award, American Council on Alcohol Problems 1994
- Common Cause "Bird Dog" Award 1994
- Sertoma Man of the Year 1991
- Recipient of Republican Legislator of the Year 1990

56

JAN 29 2002

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: Ray Metcalf

Address: 138 Tracy-Allison Ln

Clinton, Tenn. 37716

Phone: 945-2113

Comments (please use the space below):

Please see attached

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environmental impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise, warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: Richard D. + Cynthia J. Michelhaugh

Address: 178 Walker Circle

Clinton, TN 37716

Phone: 865-945-8932

Comments (please use the space below):

Please see attached

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environments impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

RANDALL E. MILLER
150 GADE ROAD
POWELL, TN 37849

February 15, 2002

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771

RE: Hallsdale Powell Utility District Proposed Water Intake in Bull Run Creek

Dear Scott:

I am writing to express my concerns regarding the proposed construction of the water intake plant referenced above. I attended the public hearing held at Claxton School on January 24, 2002 and was extremely disappointed in the manner in which the meeting was conducted and the information, or the lack thereof, that was given to us. Specifically, Hallsdale Powell knew that the two primary concerns we have with this facility are fluctuating lake levels and noise and neither Hallsdale Powell nor their representatives were able to provide specific answers to our questions. Instead, they spoke in general terms and told us that they did not have the information with them. Obviously, we left the meeting feeling that this was done purposely and that something was being hidden from us. I would ask that we be given an another opportunity in a public forum to be heard and to have our questions addressed more specifically.

Obviously, there are other locations for this facility that could be considered that would not present some of issues the proposed site does. Frankly, I'm surprised that TVA would allow this facility to be constructed so close to so many personal residences. But because the property being considered has very easy access and is in close proximity to their existing piping, I am certain that Hallsdale is strictly viewing this from a cost saving standpoint and the residents of the Bull Run Creek area will bear the expense. I certainly understand that there is a need for quality water by all the utility districts and that water has to come from our lakes. We are very fortunate to have so much of this resource available in our area but there are numerous locations from which it can be accessed without disturbing the neighborhoods in which we live.

My primary concern is that of fluctuating/decreased water levels in Melton Hill Lake. I feel that we already have this problem without any more water being removed from our lake. Melton Hill is a small lake that can be drawn down very quickly leaving the backs of coves

and creeks dry. I have neighbors who, on some days, leave their docks in the early afternoon and have trouble getting their boats back to their docks when they return in the early evening. The least bit of additional drawdown will keep them from being able to return home in their boats.

Also, with constant fluctuation in water levels, there will be an increase in debris being pulled from the banks and backs of creeks. Again, this is already a big problem on our lake and will become worse after the intake facility becomes operational.

We would appreciate the opportunity to have another meeting with Hallsdale Powell and TVA to further discuss these issues and what can be done about them.

Sincerely,

A handwritten signature in black ink, appearing to read "Randall E. Miller". The signature is written in a cursive style with a prominent loop at the end.

Randall E. Miller

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: Jacki Montgomery
Address: 319 Jones Road
Clinton TN 37716
Phone: (865) 945-5445

Comments (please use the space below):

Please see attached

Comments:
Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:
Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environmental impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7. Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise, warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: Kenneth Montgomery

Address: 319 Jones Road
Clinton TN 37716

Phone: (865) 945-5445

Comments (please use the space below):

Please see attached

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environmental impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise, warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

60

JAN 30 2002

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

1-28-02

Name: JOHN MURPHY

Address: 244 HENDERSON BEND RD

KNOXVILLE, TN 37931

Phone: 945-2075

Comments (please use the space below):

Please see attached



Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environments impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.

69

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name:

Sybaester Minter Sr.

Address:

188 Walker Cir Clinton Tenn.
37716

Phone:

945-3729

Comments (please use the space below):

FEB 04 2002

Please see attached

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

...we consider the following...
proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environmental impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise, warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

...for your diligence in this matter.

40

FEB 19 2002

Public Comments

Tennessee Valley Authority
Melton Hill Reservoir

Name: Amy Ownby

Address: 214 Tracy Allison Ln

Clinton, TN 37716

Phone: 865-945-3281

Comments (please use the space below):

Please see attached

Comments:

Comments are encouraged and will be utilized to make a decision regarding the proposed intake facility on Melton Hill Lake. Written comments must be received on or before Feb. 15, 2002. These comments will be used in preparation of the final environmental assessment and should be directed to:

Mr. Scott Ledford
2009 Grubb Road
Lenoir City, TN 37771
wsledford@tva.gov
(865) 988-2443

Please consider the following list of concerns in your environmental assessment of the proposed Raw Water Intake Plant to be located in the Bull Run Creek area of Melton Hill Reservoir. We strongly object to the proposed location for a Water Intake Structure on the basis of the negative environmental impacts it will have on Bull Run Creek, surrounding wetlands, wildlife, and the adjacent quiet residential neighborhoods.

At the proposed intake location, the creek is only 5 to 8 feet deep at its most frequent depth (Not the 10 -12 feet stated in the report). The shoreline of the surrounding area is frequently below normal pool. The frequent draw down would contribute to lower water quality as a potential 22 million gallons of water would be taken daily.

The increased noise level from the intake facility is a serious concern. At the time these studies were conducted the following noises impacted these studies.

- A loose expansion joint on the Bridge. (since repaired)
- Noise from passing boats. (an intermittent disruption)
- Traffic passing by on Henderson Road (an intermittent disruption)
- Activity at the adjacent Anderson County recreation area and boat launch.
- Passing trains and warning whistles at the Bull Run Railroad Bridge

All these sounds were averaged together to set the average ambient sound level. Since these sounds are not constant they are more easily tolerated by people. A pumping station would drone for hours at a time! Any constant noise, regardless of the decibel level will seriously contribute to noise pollution.

This use is not consistent with the 1999 TVA Environmental Assessment (EA) and Land Use Plan for Melton Hill. This plan was set forth to provide enhanced protection to sensitive resources (such as cultural sites, wetlands and rare species). The parcel of land where the water intake facility is to be located was designated by the TVA Board of Directors as parcel #80 and placed in Zone 7, Residential access. The report states that there are emergent wetlands present on this parcel. Even in 1999, TVA had concerns about the environmental impact of further development of this parcel. (This parcel was not designated as a Zone 2, Project Operations parcel)

In the summer of 2001, a boating death occurred in these waters. The increased traffic and high use of this area is not consistent with the location of a water intake facility.

Additional key concerns include, but are not limited to:

- increased water pollution and sediment (resulting from construction)
- decreased water levels (8-22 million gallons to be withdrawn daily)
- decreased water quality (resulting from lower water levels)
- increased fluctuation of water levels
- increased erosion and deterioration of shoreline
- increased water clutter (industrial intake pipes, screens, and buoys, signs)
- increased noise pollution (Pump noise, Air conditioning noise , warning horn)
- increased light pollution (building lighting, illumination spotlight)
- negative impact on natural landscape (industrial building, signage)
- decreased recreational use and safety concerns
- negative impact on public park and recreation area (boating, fishing, swimming, etc.)
- heavy blasting on Creek and Mehaffey Road for pipeline construction which could cause home and road damage

Thank you for your diligence in this matter.