Tennessee Valley Authority, 1499 Steam Plant Road, Gallatin, Tennessee 37066-8714

April 6, 2012

Mr. Patrick Cromer
Division of Water Pollution Control
Enforcement and Compliance Section
6th Floor, L&C Annex
401 Church Street
Nashville, Tennessee 37243-1534

Dear Mr. Cromer:

Enclosed are certified copies of the TVA - Gallatin Fossil Plant Discharge Monitoring Reports (DMRs) for March 2012. A computer disk that contains the DMR data is attached.

If you have any questions concerning these reports or if additional information is required, please contact Michael T. Gray, Program Administrator(Environmental),615-230-4066, or Ronnie Wyatt, Acting Manager (Engineering), 615-230-2638.

I certify under penalty of law that I have personally examined and am familiar with the information submitted in the attached document; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Sincerely,

Scott A. Hadfield
Plant Manager

Enclosures

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Document Type: NPDES Permit Compliance Records

April 6, 2012

Mr. Patrick Cromer
Division of Water Pollution Control
Enforcement and Compliance Section
6th Floor, L&C Annex
401 Church Street
Nashville, Tennessee 37243-1534

Dear Mr. Cromer:

Enclosed are certified copies of the TVA - Gallatin Fossil Plant Discharge Monitoring Reports (DMRs) for March 2012. A computer disk that contains the DMR data is attached.

If you have any questions concerning these reports or if additional information is required, please contact Michael T. Gray, Program Administrator(Environmental),615-230-4066, or Ronnie Wyatt, Acting Manager (Engineering), 615-230-2638.

I certify under penalty of law that I have personally examined and am familiar with the information submitted in the attached document; and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Sincerely,

Scott A. Hadfield
Plant Manager

Enclosures

MTG/ksl

cc: (Enclosures):
M. T. Gray, Gallatin
A. C. Brodie, BR 4A-C
C. Smith, MCT 1A-CCK
K. Ward, EDMS, BR 4A-C

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

Name TVA - Gallatin Fossil Plant
Address Plant Manager
1499 Steam Plant Road
Gallatin TN 37066
Facility TVA-Gallatin Fossil
Location Sumner Co. (NEAC)

Attn: M. T. Gray, Program Administrator (Env.)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16) PERMIT NUMBER	(17-19) DISCHARGE NUMBER
TN0005428	001 G

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
From	12	03	01	To	12	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MAJOR
(SUBR 04)
F - FINAL
ASH POND DISCHARGE
Effluent

*** NO DISCHARGE ***

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
PH	SAMPLE MEASUREMENT	********	********	**	7.7	********	8.4	12	0	8 / 31	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	**6.0 MINIMUM**	********	**9.0 MAXIMUM**	SU		WEEKLY	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	********	********	**	********	16.0	16.0	19	0	1 / 31	GRAB
00530 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	********	**28 MO AVG**	**92.7 MAXIMUM**	MG/L		ONCE/ MONTH	GRAB
OIL AND GREASE	SAMPLE MEASUREMENT	********	********	**	********	<5.6	<5.6	19	0	1 / 31	GRAB
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	********	**14 MO AVG**	**18 MAXIMUM**	MG/L		ONCE/ MONTH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	33.15	44.95	03	********	********	********	**	0	4 / 31	WEIR
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	**REPORT MO AVG**	**REPORT DAILY MX**	MGD	********	********	********	****		WEEKLY	INSTAN
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Dennis R. Spencer Vice President - Coal Operations, FPG	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	Plant Manager SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	615	230-4091	12	04	05
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

Name: **TVA - Gallatin Fossil Plant**
Address: Plant Manager
1499 Steam Plant Road
Gallatin TN 37066
Facility: TVA-Gallatin Fossil
Location: Sumner Co. (NEAC)

Attn: M. T. Gray, Program Administrator (Env.)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16) PERMIT NUMBER	(17-19) DISCHARGE NUMBER
TN0005428	001 Q

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
From	12	01	01	To	12	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MAJOR
(SUBR 04)
F - FINAL
ASH POND DISCHARGE
Effluent

*** NO DISCHARGE [ ] ***

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
ARSENIC, TOTAL (AS AS)	SAMPLE MEASUREMENT	********	********	19	********	********	0.011	19	0	1 / 91	GRAB
01002 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	MG/L	********	********	**REPORT DAILY MX**	MG/L		QTRLY	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	********	********	19	********	********	0.515	19	0	1 / 91	GRAB
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	MG/L	********	********	**REPORT DAILY MX**	MG/L		QTRLY	GRAB
LEAD, TOTAL (AS PB)	SAMPLE MEASUREMENT	********	********	19	********	********	<0.001	19	0	1 / 91	GRAB
01051 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	MG/L	********	********	**REPORT DAILY MX**	MG/L		QTRLY	GRAB
MANGANESE, TOTAL (AS MN)	SAMPLE MEASUREMENT	********	********	19	********	********	0.011	19	0	1 / 91	GRAB
01055 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	MG/L	********	********	**REPORT DAILY MX**	MG/L		QTRLY	GRAB
SILVER, TOTAL (AS AG)	SAMPLE MEASUREMENT	********	********	19	********	********	<0.0005	19	0	1 / 91	GRAB
01077 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	MG/L	********	********	**REPORT DAILY MX**	MG/L		QTRLY	GRAB
ANTIMONY, TOTAL (AS SB)	SAMPLE MEASUREMENT	********	********	19	********	********	<0.001	19	0	1 / 91	GRAB
01097 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	MG/L	********	********	**REPORT DAILY MX**	MG/L		QTRLY	GRAB
ALUMINUM, TOTAL (AS AL)	SAMPLE MEASUREMENT	********	********	19	********	********	1.900	19	0	1 / 91	GRAB
01105 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	MG/L	********	********	**REPORT DAILY MX**	MG/L		QTRLY	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Dennis R. Spencer Vice President - Coal Operations, FPG	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	Plant Manager SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	615	230-4091	12	04	05
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

Name: **TVA - Gallatin Fossil Plant**
Address: Plant Manager
1499 Steam Plant Road
Gallatin TN 37066
Facility: TVA-Gallatin Fossil
Location: Sumner Co. (NEAC)

Attn: M. T. Gray, Program Administrator (Env.)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
TN0005428	001 Q
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
From	12	01	01	To	12	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MAJOR
(SUBR 04)
F - FINAL
ASH POND DISCHARGE
Effluent

*** NO DISCHARGE [ ] ***

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SELENIUM, TOTAL (AS SE)	SAMPLE MEASUREMENT	********	********	19	********	********	0.029	19	0	1 / 91	GRAB
01147 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	MG/L	********	********	**REPORT DAILIY MX**	MG/L		QTRLY	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Dennis R. Spencer Vice President - Coal Operations, FPG	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	Plant Manager SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	615	230-4091	12	04	05
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

Name TVA - Gallatin Fossil Plant
Address Plant Manager
1499 Steam Plant Road
Gallatin TN 37066
Facility TVA-Gallatin Fossil
Location Sumner Co. (NEAC)

Attn: M. T. Gray, Program Administrator (Env.)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
TN0005428	001 T
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
From	12	03	01	To	12	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MAJOR
(SUBR 04)
F - FINAL
ASH POND DISCHARGE
Effluent

*** NO DISCHARGE ***

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
IC25 STATRE 7DAY CHR CERIODAPHNIA	SAMPLE MEASUREMENT	********	********	**	Monitoring Not Required	********	********	23			
TRP3B 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	REPORT MINIMUM	********	********	PERCENT		ANNUAL	COMPOS
IC25 STATRE 7DAY CHR PIMEPHALES	SAMPLE MEASUREMENT	********	********	**	Monitoring Not Required	********	********	23			
TRP6C 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	REPORT MINIMUM	********	********	PERCENT		ANNUAL	COMPOS
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Dennis R. Spencer Vice President - Coal Operations, FPG	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	Plant Manager SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	615	230-4091	12	04	05
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

Name: **TVA - Gallatin Fossil Plant**
Address: Plant Manager
1499 Steam Plant Road
Gallatin TN 37066
Facility: TVA-Gallatin Fossil
Location: Sumner Co. (NEAC)

Attn: M. T. Gray, Program Administrator (Env.)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
TN0005428	002 G
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
From	12	03	01	To	12	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MAJOR
(SUBR 04)
F - FINAL
COOLING WATER, STORM WATER
Effluent

*** NO DISCHARGE ***

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
TEMPERATURE, WATER DEG. CENTIGRADE	SAMPLE MEASUREMENT	********	********	**	********	********	13.9	04	0	31 / 31	RCORDR
00010 0 0 0 INTAKE	PERMIT REQUIREMENT	********	********	****	********	********	**REPORT DAILY MX**	DEG. C.		CONTIN UOUS	RCORDR
TEMPERATURE, WATER DEG. CENTIGRADE	SAMPLE MEASUREMENT	********	********	**	********	********	21.7	04	0	31 / 31	CALCTD
00010 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	********	********	**32.8 DAILY MX**	DEG. C.		DAILY	CALCTD
OXIDANTS, TOTAL RESIDUAL	SAMPLE MEASUREMENT	********	********	**	********	Monitoring Not Required	Monitoring Not Required	19			
34044 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	********	**0.011 MO AVG**	**0.019 DAILY MX**	MG/L		WEEKLY	CALCTD
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	820.47	932.46	03	********	********	********	**	0	31 / 31	ESTIMA
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	**REPORT MO AVG**	**REPORT DAILY MX**	MGD	********	********	********	****		DAILY	ESTIMA
CHLORINATION DURATION	SAMPLE MEASUREMENT	********	********	**	********	********	Monitoring Not Required	14			
78739 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	********	********	**120 DAILY MX**	MIN/DAY		DAILY	RCORDR
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Dennis R. Spencer Vice President - Coal Operations, FPG	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	Plant Manager SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	615	230-4091	12	04	05
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

Not chlorinating.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

Name TVA - Gallatin Fossil Plant
Address Plant Manager
1499 Steam Plant Road
Gallatin TN 37066
Facility TVA-Gallatin Fossil
Location Sumner Co. (NEAC)

Attn: M. T. Gray, Program Administrator (Env.)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
TN0005428	002 T
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
From	12	03	01	To	12	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MAJOR
(SUBR 04)
F - FINAL
COOLING WATER, STORM WATER
Effluent

*** NO DISCHARGE ***

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
IC25 STATRE 7DAY CHR CERIODAPHNIA	SAMPLE MEASUREMENT	********	********	**	Monitoring Not Required	********	********	23			
TRP3B 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	100 MINIMUM	********	********	PERCENT		QTRLY	COMPOS
IC25 STATRE 7DAY CHR PIMEPHALES	SAMPLE MEASUREMENT	********	********	**	Monitoring Not Required	********	********	23			
TRP6C 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	100 MINIMUM	********	********	PERCENT		QTRLY	COMPOS
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Dennis R. Spencer Vice President - Coal Operations, FPG	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	Plant Manager SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	615	230-4091	12	04	05
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

Name TVA - Gallatin Fossil Plant
Address Plant Manager
1499 Steam Plant Road
Gallatin TN 37066
Facility TVA-Gallatin Fossil
Location Sumner Co. (NEAC)

Attn: M. T. Gray, Program Administrator (Env.)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16) PERMIT NUMBER	(17-19) DISCHARGE NUMBER
TN0005428	005 G

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
From	12	03	01	To	12	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MAJOR
(SUBR 04)
F - FINAL
CLEANING WASTEWATER
Effluent

*** NO DISCHARGE XX ***

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
COPPER, TOTAL (AS CU)	SAMPLE MEASUREMENT	********	********	**	********			19			
01042 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	********	1.0 MO AVG	1.0 MAXIMUM	MG/L		ONCE/ BATCH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	********	********	**	********			19			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	****	********	1.0 MO AVG	1.0 MAXIMUM	MG/L		ONCE/ BATCH	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT			03	********	********	********	**			
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT MO AVG	REPORT DAILY MX	MGD	********	********	********	****		ONCE/ BATCH	ESTIMA
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Dennis R. Spencer Vice President - Coal Operations, FPG	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	Plant Manager SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	615	230-4091	12	04	05
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

No Discharge this Period

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

Name TVA - Gallatin Fossil Plant
Address Plant Manager
1499 Steam Plant Road
Gallatin TN 37066
Facility TVA-Gallatin Fossil
Location Sumner Co. (NEAC)

Attn: M. T. Gray, Program Administrator (Env.)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
TN0005428	006 Q
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
From	12	01	01	To	12	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MAJOR
(SUBR 04)
F - FINAL
NONCONTACT COOLING WATER
Effluent

*** NO DISCHARGE ***

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
PH	SAMPLE MEASUREMENT	********	********	12	7.8	********	7.9	12	0	2 / 91	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	SU	REPORT MINIMUM	********	REPORT MAXIMUM	SU		QTRLY	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	********	0.71	03	********	********	********	03	0	1 / 91	ESTIMA
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	REPORT DAILY MX	MGD	********	********	********	MGD		QTRLY	ESTIMA
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Dennis R. Spencer Vice President - Coal Operations, FPG	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	Plant Manager SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	615	230-4091	12	04	05
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

Name: **TVA - Gallatin Fossil Plant**
Address: Plant Manager
1499 Steam Plant Road
Gallatin TN 37066
Facility: TVA-Gallatin Fossil
Location: Sumner Co. (NEAC)

Attn: M. T. Gray, Program Administrator (Env.)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
TN0005428	009 Q
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
From	12	01	01	To	12	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MAJOR
(SUBR 04)
F - FINAL
NONCONTACT COOLING WATER
Effluent

*** NO DISCHARGE ***

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
PH	SAMPLE MEASUREMENT	********	********	12	7.9	********	8.0	12	0	2 / 91	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	********	SU	REPORT MINIMUM	********	REPORT MAXIMUM	SU		QTRLY	GRAB
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	********	0.47	03	********	********	********	03	0	1 / 91	ESTIMA
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	********	REPORT DAILY MX	MGD	********	********	********	MGD		QTRLY	ESTIMA
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Dennis R. Spencer Vice President - Coal Operations, FPG	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. §1001 AND 33 U.S.C. §1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	Plant Manager SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	615	230-4091	12	04	05
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*