

Final Report

***Ceriodaphnia dubia* Whole Sediment Survival and Reproduction Toxicity Test Results**

TVA, Kingston Monitoring and Analysis Project Clinch River Sediment Sample CRM2.0

Prepared for:

Rick M. Sherrard, Ph.D.
Senior Toxicologist
Tennessee Valley Authority
1101 Market Street, PSC 1X-C
Chattanooga, TN 37402

Prepared by:



58485 Pearl Acres Road, Suite D
Slidell, LA 70461
1 (800) 966-2788

May 3, 2011

EXECUTIVE SUMMARY

A whole sediment toxicity test was conducted by Environmental Enterprises USA, Inc. (EE USA) to determine potential toxicity of a Clinch River site sediment sample to *Ceriodaphnia dubia* neonates. Three samples were used in this test: Clinch River site sediment identified as BULKSED-CRM2.0-EEUSA (CRM2.0); Clinch River reference sediment identified as BULKSED-CLINCHREFERENCE-EEUSA (CRS); and Clinch River water identified as BULKSW-CRM7.0-EEUSA (CRW). Several dilutions of CRM2.0 prepared with CRS were tested with four concurrent controls. A moderately hard synthetic freshwater (MHSW) only control was included to assess test organism health. Separate laboratory control sediment (LCS) exposures with either MHSW or CRW were included to assess test acceptability requirements.

C. dubia survival and reproduction in the CRM2.0 treatments were compared to survival and reproduction in a CRS control with CRW. Survival and reproduction of *C. dubia* neonates in the CRM2.0 treatments were not reduced when compared to survival and reproduction in the CRS control. Test results are shown in Table 1.

Table 1. *Ceriodaphnia dubia* Chronic Survival and Reproduction Test Results for CRM2.0.

SURVIVAL	REPRODUCTION
NOEC / LOEC = 100.0 / > 100.0%	NOEC / LOEC = 100.0 / > 100.0%
IC_{25} > 100.0%	IC_{25} > 100.0%

INTRODUCTION

EE USA was contracted by Tennessee Valley Authority (TVA) to complete whole sediment toxicity tests with Clinch River sediment and water samples using *C. dubia* neonates. The project is described in TVA's Sediment Toxicity Study Design [1]. Site sediment samples were collected from eight representative locations on the Clinch River. Clinch River reference sediment samples and river water samples were collected upstream of the site sediment locations. The two reference sediment samples were mixed together 50:50 and homogenized in the field. TVA's contractors, Jacobs Engineering and Restoration Services, Inc., coordinated sample collection in the field and delivery of the samples to EE USA. The samples were delivered to EE USA on February 12 and March 9, 2011, on ice and with custody seals intact (Appendix D).

This test, which was performed on one (CRM2.0) of the eight sediment samples obtained from the Clinch River, was conducted in accordance with American Society for Testing and Materials (ASTM) [2] and U. S. EPA [3] toxicity testing methods. Test organisms were cultured at EE USA and were 12.0 to 20.0 hours old when this test was initiated. Ten replicates of each control treatment and six CRM2.0 concentrations were prepared the day before the test was initiated. CRM2.0 dilutions were prepared with CRS. CRM2.0 concentrations tested were 10.0, 20.0, 40.0, 60.0, 80.0, and 100.0%. A portion of the overlying water in each replicate was replaced daily. This test was initiated March 17, 2011, at 1300 and completed March 23 at 1205.

MATERIALS AND METHODS

C. dubia was cultured and maintained in MHSW at $25 \pm 1^{\circ}\text{C}$. Test organisms were selected from adults producing at least ten in their third or subsequent brood. Only ten neonates from any one adult were used so that one replicate in each treatment was populated with a neonate from the same adult. Test organisms were fed *Selenastrum capricornutum* (SCAP) and Yeast-Cerophyl-digested Tetramin (YCT) daily at the rate of 0.1 mL each per 15 mL of water.

On February 12, 2011, the CRM2.0 and CRS samples were delivered to EE USA and stored at 0.1 to 6°C. On March 9, 2011, the CRW sample was delivered to EE USA and stored at 0.1 to 6°C (Appendix D & Table 2). Two 1-liter containers each of CRM2.0 and CRS were put into separate mixing bowls and large bark pieces, rocks, and leaves were removed with forceps. Each 2-liter sediment sample was mixed for approximately five minutes with a KitchenAid Model KHM7TGCS hand-held mixer set at position "3", 580 ± 5 rpm. On March 16th (Day -1), the density of each sediment, LCS, CRS, and CRM2.0, was measured and the test treatments were prepared (Appendix A, page 1). Eight-dram shell vials were used as test chambers. The vials were washed with soap and water and rinsed with acetone, 10% HCl, deionized water, and MHSW prior to being used as test chambers. Test chambers were labeled with test concentration, replicate, and EE USA's project number. Dilutions of CRM2.0 were made with CRS according to the calculations on page 1 of Appendix A. For each treatment, 400 mL of sediment was prepared, homogenized, and then 5 mL were transferred to 11 test replicates. The 11th replicate of each treatment was used for water quality only.

Table 2. Clinch River Site Sediment, Reference Sediment, and Water Samples.

TVA Sample ID	EE USA Sample ID	Date Collected	Date Received
BULKSED-CRM2.0-EEUSA Composite Sample, Site Sediment (CRM2.0)	E-089-11	February 7, 2011 @ 0955	February 12, 2011 @ 1240
BULKSED-CLINCHREFERENCE-EEUSA Composite Sample, Clinch Reference Sediment (CRS)	E-095-11	February 9, 2011 @ 0940	
BULKSW-CRM7.0-EEUSA Grab Sample, Clinch River Water (CRW)	E-152-11	March 8, 2011 @ 1451	March 9, 2011 @ 1300

SCAP and YCT were added to aliquots of the overlying waters, MHSW and CRW; 6.0 mL each of SCAP and YCT was added to 900 mL of MHSW and 12 mL each of SCAP and YCT was added to 1800 mL CRW. The MHSW and CRW aliquots were warmed up to 25 ± 1°C. Twenty mL of MHSW were transferred to 11 test replicates of the MHSW only control. LCS, No. 5 sand supplied by EE USA and wetted to saturation with MHSW, was homogenized with a stainless steel spoon and five mL were transferred to 22 test replicates. Eleven LCS + MHSW replicates received 20 mL MHSW and 11 LCS + CRW replicates received 20 mL CRW. Twenty mL of CRW were added to each replicate of the CRS and CRM2.0 treatments.

After dispensing the sediments and water, the test chambers were placed in an environmental chamber at 25 ± 1°C with a photoperiod of 16 hours light and 8 hours dark. The test was not aerated. Initial water quality parameters (dissolved oxygen (DO) and temperature) were measured daily in the 11th replicate of each treatment. At the end of each 24-hour exposure period, prior to renewal, the ending DO and temperature in each treatment were recorded (Appendix A, pages 9 – 12 & Table 3). Alkalinity, hardness, conductivity, pH, DO, total residual chlorine, and ammonia were measured in CRW and each batch of MHSW (Appendix A, page 2 & Table 4).

**Table 3. Initial and Final Temperature and Dissolved Oxygen Data for Each Treatment:
Mean, Minimum, and Maximum.**

Water Quality Summary for Test Exposures March 17 – 23, 2011							Mean
% Sample	Temperature, °C		Dissolved Oxygen, mg/L		Min	Max	
	Initial	Final	Initial	Final			
MHSW	24.6	24.6	7.5	7.0			
	24.1	24.9	7.3	7.6	6.5	7.5	
LCS + MHSW	24.7	24.7	7.5	6.9			
	24.5	25.0	7.4	7.6	6.2	7.5	
LCS + CRW	24.8	24.8	7.3	6.5			
	24.5	25.0	7.0	7.6	5.5	7.1	
CRS + CRW	24.7	24.7	7.0	6.1			
	24.3	25.0	6.8	7.2	5.6	6.6	
10.0	24.8	24.7	6.7	5.9			
	24.4	25.1	6.5	7.0	5.2	6.5	
20.0	24.7	24.8	6.8	5.7			
	24.4	25.0	6.4	7.2	5.2	6.3	
40.0	24.8	24.9	6.7	5.7			
	24.5	24.9	6.5	7.0	5.0	6.2	
60.0	24.8	24.8	6.7	5.7			
	24.3	25.0	6.4	7.0	5.1	6.2	
80.0	24.8	24.7	6.5	5.5			
	24.5	25.0	6.2	6.8	4.9	6.1	
100.0	24.8	24.7	6.7	5.5			
	24.6	24.9	6.3	7.0	4.9	6.1	

Table 4. Water Quality Data for CRW and Each Batch of MHSW.

	CRW	MHSW	MHSW	MHSW
Collected	3/08/2011			
Batch Number	BULKSW-CRM7.0-EEUSA	FW-027-11 ¹	FW-029-11 ²	FW-030-11 ³
Alkalinity, mg/l	112	60	64	60
Hardness, mg/l	124	110	100	104
Conductivity, µmhos/cm	290	362	342	332
pH, su	8.1	8.3	8.3	8.1
Dissolved Oxygen, mg/l	8.0	8.2	8.2	8.2
TRC, mg/l	0.05	0.0	0.0	0.0
Total Ammonia, mg/l	< 0.02	< 0.02	< 0.02	< 0.02
		¹ used 03/16/2011		
		² used 03/17-20/2011		
		³ used 03/21-22/2011		

The test was initiated March 17th (Day 0) after 15 mL of water were removed from each replicate of each treatment and replaced with water into which proper aliquots of food had been added. One *C. dubia* neonate was transferred to each replicate, and then the test chambers were placed in an environmental chamber. On Days 1-5, the test exposures were renewed as follows:

1. The *C. dubia* in each replicate and approximately 5 mL of the water in the replicate were transferred to a 30-mL disposable plastic cup.
2. Additional water equivalent to a total of 15 mL was removed from the replicate.
3. 15 mL of fresh MHSW or CRW as appropriate was transferred to the replicate.
4. The *C. dubia* was transferred back to the replicate.

Water was removed from and added to each replicate with a 25-mL pipette. *C. dubia* were transferred with disposable 3.5-mL transfer pipettes. Survival was recorded daily (Appendix A, pages 3 - 8). Reproduction was also recorded and newly produced neonates discarded before renewal. The test was terminated after six days, after \geq 60% of each set of control organisms released their third brood.

The endpoints for the chronic test were survival and neonate production. The test acceptability criteria were 80% or greater survival in the LCS + MHSW control and an average of 15 or more young per surviving female in the control solutions (60% of surviving control females must produce three broods).

The response used in the statistical analysis of the survival data was the proportion of test organisms surviving in each treatment chamber after six days. Fisher's Exact test was used to test for a significant difference between survival in the CRS + CRW control and each CRM2.0 concentration. The response used in the reproduction data analysis was the total number of neonates produced per replicate. Reproduction data were tested for normal distribution and homogeneity of variance using the Kolmogorov D and Bartlett's tests, respectively. Reproduction data were not normally distributed but were equal in variance, and evaluated by Steel's Many-One Rank Test. The statistical tests were performed using ToxCalc Version 5.0.32 at a probability level of 0.05 [4].

Sensitivity of test organisms to a known toxicant was determined by performing a chronic Standard Reference Toxicant (SRT) test, CD1102, with potassium chloride (Sigma Chemical, Lot 099K0202). The most recent SRT test was initiated on February 10, 2011, with less than 24-hour-old *C. dubia* neonates.

RESULTS AND DISCUSSION

The control *C. dubia* met the test acceptability criteria of 80% or greater survival and an average of 15 or more young per surviving female in the LCS + MHSW control solution. One hundred percent survival occurred in the LCS + MHSW control. Eight out of ten (80%) of the control females produced three broods; the mean brood size was 25.1.

The No Observed Effect Concentration (NOEC) for survival was 100% CRM2.0. The Lowest Observed Effect Concentration (LOEC) was > 100.0% CRM2.0. The IC₂₅, a point estimate of the concentration that causes a 25% reduction in survival was > 100.0% CRM2.0 (Appendix B, page 1 & Table 5).

The NOEC for reproduction was 100.0% CRM2.0. The LOEC was > 100.0% CRM2.0. The Minimum Significant Difference percent for this reproduction data set was 24.5% (Appendix B, page 2). The IC₂₅, a point estimate of the concentration that causes a 25% reduction in reproduction was > 100.0% CRM2.0 (Appendix B, page 2 & Table 5).

Table 5. Summary of Percent Survival, Mean Reproduction, and Survival and Reproduction NOECs, LOECs, and IC₂₅s for CRM2.0.

	LCS + CRW	CRS + CRW	10% CRM2.0	20% CRM2.0	40% CRM2.0	60% CRM2.0	80% CRM2.0	100% CRM2.0
% Survival	100	100	100	100	100	100	100	100
Mean Reproduction	26.8	26.3	26.2	26.6	25.5	26.0	27.7	25.8
	NOEC	LOEC	IC ₂₅					
Survival	100% CRM2.0	> 100% CRM2.0	> 100% CRM2.0					
Reproduction	100% CRM2.0	> 100% CRM2.0	> 100% CRM2.0					

In summary, *C. dubia* survival and reproduction were not significantly reduced in any control or CRM2.0 treatment. Survival and reproduction statistical data for the MHSW only, LCS + MHSW, and LCS + CRW controls are presented on pages 3 and 4 of Appendix B.

The neonates used in the potassium chloride SRT met all of the quality control test parameters. The following SRT control charts are given in Appendix C:

- Survival IC₂₅ with ± 2 SD Control Limits
- Survival IC₂₅ %CV with 75th and 90th Percentile Warning Limits
- Survival PMSD
- Reproduction IC₂₅ with ± SD Control Limits
- Reproduction IC₂₅ %CV with 75th and 90th Percentile Warning Limits
- Control Reproduction with Lower Limit
- Control Reproduction %CV with TVA Limit
- Reproduction PMSD

REFERENCES

1. Tennessee Valley Authority. 2011. Kingston Monitoring and Analysis Project Non-Time-Critical Removal Action Sampling and Analysis Plan Sediment Toxicity Study Design. Chattanooga, TN.
2. American Society for Testing and Materials. 2005. Standard Test Method for Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates. Annex A2. Guidance for Conducting Sediment Toxicity Tests with *D. magna* and *C. dubia*. E 1706-05. West Conshohocken, PA.
3. U.S. Environmental Protection Agency. 2002. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to freshwater organisms, 4th ed. EPA-821-R-02-013. Office of Water, Washington, DC.
4. Tidepool Scientific Software. 2007. ToxCalc™ Toxicity Data Analysis Software. Version 5.0.32. McKinleyville, CA.

ENVIRONMENTAL ENTERPRISES USA, INC.

REPORT TEST REVIEW

Veronica McNew 05/03/2011

Veronica McNew
Effluents Testing Supervisor

Mark A. O'Neil 5/3/2011

Mark A. O'Neil
QA/QC Supervisor

David L. Daniel 5/3/2011

David L. Daniel
Laboratory Director

Environmental Enterprises USA, Inc.

APPENDIX A

Cladoceran, Ceriodaphnia dubia**Whole Sediment Survival and Reproduction Test**

ASTM E 1706 – 05, Standard Test Method for Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates:
 A2. GUIDANCE FOR CONDUCTING SEDIMENT TOXICITY TESTS WITH
 DAPHNIA MAGNA (D. magna) AND CERIODAPHNIA DUBIA (C. dubia)

TVA, Kingston Monitoring and Analysis Project
 CRM2.0 Sediment & CRS Reference Sediment

	Density		
	LCS	CRS	CRM2.0
1	71.90 g/40 ml	62.92 g/40 ml	53.46 g/40 ml
2	72.69 g/40 ml	62.68 g/40 ml	53.13 g/40 ml
3	72.30 g/40 ml	62.28 g/40 ml	53.24 g/40 ml
MEAN	72.30 g/40 ml	62.63 g/40 ml	53.28 g/40 ml
g/ml	1.81	1.57	1.33
g/5 ml	② 9.05 9.04	7.83	6.66
Scale ID	N7	N7	N7
Date & Time	03-16-11 0830	03-16-11 0825	03-16-11 0830
Initial	JG-	JG-	JG-

(② wrong data JG-031611)

Test Concentrations, % CRM2.0

Ceriodaphnia dubia	Total Sediment Vol./Conc., ml	CRM2.0 ml / gram	CRS ml / gram	LCS ml / gram	grams sediment/replicate	CRW/rep		MHSW/rep		Tech, Date, & Time	
						Day 0	Days 1 - 6	Day 0	Days 1 - 6	Sed	H2O
100.0%	400	400 / 532.0	0	0	6.65	20	15	0	0	JG- 03-16-11 10:20	03-16-11 10:35
80.0%	400	320 / 425.6	80 / 25.6	0	6.89	20	15	0	0		
60.0%	400	240 / 319.2	160 / 251.2	0	7.13	20	15	0	0		
40.0%	400	160 / 212.8	240 / 376.8	0	7.37	20	15	0	0		
20.0%	400	80 / 106.4	320 / 502.4	0	7.61	20	15	0	0		
10.0%	400	40 / 53.2	360 / 565.2	0	7.73	20	15	0	0		
CRS w CRW	400	0	400 / 1.57	① 0	2.83	20	15	0	0		
LCS w CRW	400	0	0	400 / 1.81	9.04	20	15	0	0		
LCS w MHSW	400	0	0	400 / 1.81	9.04	0	0	20	15		
MHSW	n/a	0	0	0 ⑤	n/a	0	0	20	15		

Data pages & Calculations by:

Dave S QA/QC Check by: *Jennifer Griffith*

① wrong data: 628.0 gram 03-16-11

⑤ wrong data: 724.0 gram 03-16-11

MHSW = Moderately Hard Synthetic Freshwater

	MHSW	MHSW	MHSW		Meter #
Date	03/16/2011	3/17/2011	3/21/2011		III
Batch #	FW-027-11	FW-029-11	FW-030-11		
Alkalinity	60	64	60		
Hardness	110	100	104		
Conductivity	362	342	332		A46
pH	8.3	8.3	8.1		Q8
DO	8.2	8.2	8.2		S7
TRC	0.0	0.0	0.0		A27
Ammonia	<0.02	<0.02	<0.02		
Initial	0.0	0.0	0.0		

CRW = Clinch River Reference Water

	CRW	CRW		Meter #
Date	3/16/2011	1/2011		III
Batch #	Delivered 03/09/2011	Delivered 03/ /2011		
Alkalinity	112			
Hardness	124			
Conductivity	290			A46
pH	8.1			Q8
DO	8.0			S7
TRC	0.05			A27
Ammonia	<0.02			
Initial	0.0			

Alkalinity: mg/l as CaCO₃ Hardness: mg/l as CaCO₃ Conductivity: µS/cm pH: su
 TRC: mg/l Dissolved Oxygen (DO): mg/l Total Residual Chlorine (TRC): mg/l Ammonia, Total: mg/l

Comments: CRS sandy with a few pieces of bark and leaves.

CRM2.0 very clean . 0.0 3/16/11

Cladoceran, Ceriodaphnia dubia**Whole Sediment Survival and Reproduction Test**

ASTM E 1706 – 05, Standard Test Method for Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates:
 A2. GUIDANCE FOR CONDUCTING SEDIMENT TOXICITY TESTS WITH
 DAPHNIA MAGNA (*D. magna*) AND CERIODAPHNIA DUBIA (*C. dubia*)

TVA, Kingston Monitoring and Analysis Project
 CRM2.0 Sediment & CRS Reference Sediment
Test Organisms Age: 12.0 - 20.0 Hours OldTest Organisms Source: EE USA Test Initiation At: 1300 on 3/17/2011Counted by: David L. Daniel QC/QA by: Veronica McNewLoaded by: David L. Daniel Organism Lot # CD031711-01Exposure Chamber: 8 dram vials. Feeding: 0.1 ml *S. capricornutum* (Lot # S1-11) &
0.1 ml YCT (Lot # Y3-11) / 15 ml.***C. dubia* Daily Survival & Reproduction Data**

Treatment: MHSW only.														
DAY	REP	1	2	3	4	5	6	7	8	9	10	% Sur.	No. of Neonates Per Day	Tech CD H2O
	0	0	0	0	0	0	0	0	0	0	0	///	///	0/0 0/2
	1	0	0	0	0	0	0	0	0	0	0	100	0	0/0 0/2
	2	0	0	0	0	0	0	0	0	0	0	100	0	0/0 0/0
	3	0	0	0	3	0	0	0	0	0	0	100	3	0/0 0/0
	4	3	3	4	0	4	3	4	4	3	4	100	32	0/0 0/2
	5	9	10	8	11	10	8	0	8	8	10	100	82	0/0 0/2
	6	10	0	12	0	12	10	13	10	10	9	100	86	0/0
	7													
	3rd Brood Reproduction Per Replicate											Mean	CV %	//////
	22	13	24	14	26	21	17	22	21	23	20.3	21.0		

Comments: Day 6 survivors that did not release broods all had large numbers of well-developed neonates evident. 040 3/23/11

C. dubia Daily Survival & Reproduction Data Cont.

Treatment: LCS w MHSW.														
DAY	REP	11	12	13	14	15	16	17	18	19	20	% Sur.	No. of Neonates Per Day	Tech CD H2O
	0	0	0	0	0	0	0	0	0	0	0	111	111	000 V2
	1	0	0	0	0	0	0	0	0	0	0	100	0	000 Vh
	2	0	0	0	0	0	0	0	0	0	0	100	0	000 000
	3	0	0	0	0	0	0	0	4	0	0	100	4	000 000
	4	4	5	4	3	3	4	4	0	3	3	100	33	000 V2
	5	10	11	10	12	10	12	12	12	8	10	100	107	000 Vh
	6	12	12	14	0	13	14	15	0	13	14	100	107	000
	7													
3rd Brood Reproduction Per Replicate												Mean	CV %	111111
	26	28	28	15	26	30	31	16	24	27	25.1	21.7		

Treatment: LCS w CRW.															
DAY	REP	21	22	23	24	25	26	27	28	29	30	% Sur.	No. of Neonates Per Day	Tech CD H2O	
	0	0	0	0	0	0	0	0	0	0	0	111	111	000 Vh	
	1	0	0	0	0	0	0	0	0	0	0	100	0	000 Vh	
	2	0	0	0	0	0	0	0	0	0	0	100	0	000 000	
	3	0	0	0	0	0	2	0	0	0	0	100	2	000 000	
	4	4	4	4	3	4	3	3	4	5	5	100	39	000 Vh	
	5	14	14	12	12	11	9	12	8	11	10	100	113	000 Vh	
	6	15	0	16	10	15	17	14	0	13	14	100	+64(A)	000	
	7														
3rd Brood Reproduction Per Replicate												Mean	CV %	111111	
	33	18	32	25	30	31	29	12	29	29	26.8	25.1			

Comments: (A) 114

wrong data JG-032511

C. dubia Daily Survival & Reproduction Data Cont.

Treatment: CRS w CRW.														
DAY	REP	31	32	33	34	35	36	37	38	39	40	% Sur.	No. of Neonates Per Day	Tech CD H2O
	0	0	0	0	0	0	0	0	0	0	0	111	111	0.0 VH
	1	0	0	0	0	0	0	0	0	0	0	100	0	0.0 VH
	2	0	0	0	0	0	0	0	0	0	0	100	0	0.0 0.0
	3	0	0	0	0	0	0	0	0	0	0	100	0	0.0 0.0
	4	4	4	4	4	3	4	3	3	3	3	100	36	0.0 VH
	5	9	9	11	13	13	11	11	11	9	8	100	105	0.0 VH
	6	15	12	11	14	12	16	13	0	14	15	100	122	0.0
3rd Brood Reproduction Per Replicate												Mean	CV %	11111
		28	25	26	31	29	30	28	14	26	26	26.3	18.0	

Treatment: 10% CRM2.0 w CRW.														
DAY	REP	41	42	43	44	45	46	47	48	49	50	% Sur.	No. of Neonates Per Day	Tech CD H2O
	0	0	0	0	0	0	0	0	0	0	0	111	111	0.0 VH
	1	0	0	0	0	0	0	0	0	0	0	100	0	0.0 VH
	2	0	0	0	0	0	0	0	0	0	0	100	0	0.0 0.0
	3	0	0	0	0	0	0	0	0	0	0	100	0	0.0 0.0
	4	3	4	4	3	4	4	4	4	4	4	100	38	0.0 VH
	5	11	10	8	8	12	10	9	12	8	9	100	97	0.0 VH
	6	13	0	12	14	15	14	16	14	14	15	100	127	0.0
3rd Brood Reproduction Per Replicate												Mean	CV %	11111
		27	14	24	25	31	28	29	30	26	28	26.2	18.3	

Comments:

TVA, CRM2.0, Site Sediment
 TVA, CRS, Reference Sediment
 TVA, CRW, River Water

E-089-11
 E-095-11
 E-152-11

C. dubia Daily Survival & Reproduction Data Cont.

Treatment: 20% CRM2.0 w CRW.														
DAY	REP	51	52	53	54	55	56	57	58	59	60	% Sur.	No. of Neonates Per Day	Tech CD H2O
	0	0	0	0	0	0	0	0	0	0	0	100	100	DW Vh
	1	0	0	0	0	0	0	0	0	0	0	100	0	DW Vh
	2	0	0	0	0	0	0	0	0	0	0	100	0	DW DW
	3	0	0	0	5	0	0	0	2	0	0	100	7	DW DW
	4	4	4	4	0	4	4	4	2	4	5	100	35	DW Vh
	5	8	10	8	12	10	12	9	8	11	13	100	101	DW Vh
	6	12	12	11	16	16	18	7	0	16	15	100	123	DW
3rd Brood Reproduction Per Replicate													Mean	CV %
24 26 23 33 30 34 20 12 31 33 26.6													26.4	

Treatment: 40% CRM2.0 w CRW.														
DAY	REP	61	62	63	64	65	66	67	68	69	70	% Sur.	No. of Neonates Per Day	Tech CD H2O
	0	0	0	0	0	0	0	0	0	0	0	100	100	DW Vh
	1	0	0	0	0	0	0	0	0	0	0	100	0	DW Vh
	2	0	0	0	0	0	0	0	0	0	0	100	0	DW DW
	3	0	0	5	0	0	0	0	0	0	0	100	5	DW DW
	4	6	6	1	5	3	4	6	3	3	5	100	42	DW Vh
	5	10	9	11	11	11	9	10	10	10	12	100	103	DW Vh
	6	18	0	16	0	13	15	14	0	14	15	100	105	DW
3rd Brood Reproduction Per Replicate													Mean	CV %
34 15 33 16 27 28 30 13 27 32 25.5													30.9	

Comments:

TVA, CRM2.0, Site Sediment
 TVA, CRS, Reference Sediment
 TVA, CRW, River Water

C. dubia Daily Survival & Reproduction Data Cont.

Treatment: 60% CRM2.0 w CRW.														
DAY	REP	71	72	73	74	75	76	77	78	79	80	% Sur.	No. of Neonates Per Day	Tech CD H2O
	0	0	0	0	0	0	0	0	0	0	0	100	100	DW V/H
	1	0	0	0	0	0	0	0	0	0	0	100	6	DW V/H
	2	0	0	0	0	0	0	0	0	0	0	100	0	DW DCD
	3	0	0	0	0	0	0	0	0	0	0	100	0	DW DCD
	4	5	4	4	3	5	4	4	4	4	5	100	42	DW DCD
	5	12	10	10	11	13	8	11	7	9	11	100	102	DW V/H
	6	14	0	11	0	15	14	16	17	15	14	100	116	DW
	7													
3rd Brood Reproduction Per Replicate												Mean	CV %	////////
	31	14	25	14	33	26	31	28	28	30	26.0	26.0		

Treatment: 80% CRM2.0 w CRW.															
DAY	REP	81	82	83	84	85	86	87	88	89	90	% Sur.	No. of Neonates Per Day	Tech CD H2O	
	0	0	0	0	0	0	0	0	0	0	0	100	100	DW V/H	
	1	0	0	0	0	0	0	0	0	0	0	100	0	DW V/H	
	2	0	0	0	0	0	0	0	0	0	0	100	0	DW DCD	
	3	0	0	0	0	0	0	0	0	0	0	100	0	DW DCD	
	4	4	5	4	4	4	5	4	4	4	5	100	43	DW V/H	
	5	12	10	10	10	8	9	11	9	13	10	100	102	DW V/H	
	6	15	14	14	16	15	15	17	0	14	12	100	132	DW	
	7														
3rd Brood Reproduction Per Replicate												Mean	CV %	////////	
	31	29	28	30	21	29	32	13	31	27	27.7	29.6			

Comments:

C. dubia Daily Survival & Reproduction Data Cont.

Treatment: 100% CRM2.0 w CRW.

DAY	REP	91	92	93	94	95	96	97	98	99	100	% Sur.	No. of Neonates Per Day	Tech		Time
														CD	H2O	
0	0	0	0	0	0	0	0	0	0	0	0	///	///	04	12	1300
1	0	0	0	0	0	0	0	0	0	0	0	100	0	040	12	1115
2	0	0	0	0	0	0	0	0	0	0	0	100	0	040	040	0910
3	0	0	0	0	0	0	0	0	0	0	0	100	0	040	040	1135
4	6	3	5	3	4	4	5	5	3	4	100	42	040	12	1210	
5	13	11	12	10	10	8	10	10	11	12	100	107	040	12	1230	
6	16	0	14	9	12	15	8	11	12	12	100	109	040			1205
7																
	3rd Brood Reproduction Per Replicate												Mean	CV %	////////	
	35	14	31	22	26	21	23	26	26	28	25.8	21.6				

Calculations by: Paul ShultzQA/QC by: Jennifer DiffithData Entry by: Paul ShultzDouble Data Entry by: Paul Shultz orQA/QC Officer: rb

Comments:

C. dubia Water Quality Data
 All Treatments: Initial Temp.: 23.5 to 26.4°C; Initial DO: 4.0 to 8.3 mg/l

Day -1	Controls				Treatment % CRM2.0						Meter #
	MHSW		Clinch River Water								
03/16/11	MHSW	LCS + MHSW	LCS + CRW	CRS	10.0%	20.0%	40.0%	60.0%	80.0%	100.0%	
DO	1	8.2	8.2	8.3	7.9	7.5	7.1	8.0	7.9	8.0	7.3
Temp	1	24.4	24.4	24.5	24.6	24.4	24.6	24.5	24.7	24.8	24.3
Tech. Initials	Initials: DUP										
Times	Initial Time: 1520										

Day 0	Controls				Treatment % CRM2.0						Meter #
	MHSW		Clinch River Water								
03/17/11	MHSW	LCS + MHSW	LCS + CRW	CRS	10.0%	20.0%	40.0%	60.0%	80.0%	100.0%	
DO	F	7.4	7.4	7.5	6.1	6.4	6.5	6.5	5.6	6.3	5.9
	1	7.6	7.6	7.5	7.2	7.0	7.0	6.8	6.8	6.7	6.8
Temp	F	24.4	24.3	24.3	24.3	24.4	24.8	24.6	24.5	24.5	24.5
	1	24.9	24.8	24.8	25.0	24.9	24.7	24.7	24.9	24.9	24.7
Tech. Initials	Finals: DUP						Initials: DUP				
Times	Final Time: 0955						Initial Time: 1515				

Day 1	Controls				Treatment % CRM2.0						Meter #
	MHSW		Clinch River Water								
03/18/11	MHSW	LCS + MHSW	LCS + CRW	CRS	10.0%	20.0%	40.0%	60.0%	80.0%	100.0%	
DO	F	7.5	7.5	7.1	6.2	6.2	6.3	6.1	5.9	6.1	6.1
	1	7.5	7.6	7.6	7.0	6.8	7.2	6.9	7.0	6.8	7.0
Temp	F	24.6	24.9	24.7	24.5	24.8	25.0	24.9	24.7	24.8	24.8
	1	24.1	24.7	24.8	24.7	24.7	24.7	24.9	24.9	24.9	24.9
Tech. Initials	Finals: DUP						Initials: DUP				
Times	Final Time: 0930						Initial Time: 1440				

TVA, CRM2.0, Site Sediment
 TVA, CRS, Reference Sediment
 TVA, CRW, River Water

C. dubia 7-day Chronic.
 9 of 12

E-089-11
 E-095-11
 E-152-11

C. dubia Water Quality Data Cont.

All Treatments: Initial Temp.: 23.5 to 26.4°C; Initial DO: 4.0 to 8.3 mg/l

Day 2	Controls				Treatment % CRM2.0						Meter #
	MHSW		LCS + MHSW	LCS + CRW	CRS	10.0%	20.0%	40.0%	60.0%	80.0%	
03/19/11	MHSW	LCS + MHSW									
DO	F	7.3	7.4	6.9	6.4	6.5	6.0	6.2	6.2	6.0	5.9
	I	7.5	7.5	7.4	7.0	6.9	6.9	7.0	6.7	6.4	6.8
Temp	F	24.4	24.5	24.5	24.5	24.5	24.3	24.4	24.4	24.4	A46
	I	24.8	24.6	24.6	24.3	24.4	24.4	24.5	24.3	24.5	A46
Tech. Initials	Finals: DWP						Initials: DWP				
Times	Final Time: 0720						Initial Time: 1220				

Day 3	Controls				Treatment % CRM2.0						Meter #
	MHSW		LCS + MHSW	LCS + CRW	CRS	10.0%	20.0%	40.0%	60.0%	80.0%	
03/20/11	MHSW	LCS + MHSW									
DO	F	7.0	7.1	7.0	6.6	6.4	5.8	6.0	6.1	5.9	5.7
	I	7.4	7.5	7.2	6.8	6.6	6.7	6.6	6.6	6.4	6.6
Temp	F	24.3	24.5	24.3	24.5	24.3	24.5	24.7	24.9	24.8	24.7
	I	24.6	25.0	25.0	24.8	25.1	25.0	24.9	25.0	24.8	24.9
Tech. Initials	Finals: DWP						Initials: DWP				
Times	Final Time: 0715						Initial Time: 1155				

Comments:

C. dubia Water Quality Data Cont.

All Treatments: Initial Temp.: 23.5 to 26.4°C; Initial DO: 4.0 to 8.3 mg/l

Day 4	Controls				Treatment % CRM2.0							Meter #
	MHSW		Clinch River Water									
03/21/11	MHSW	LCS + MHSW	LCS + CRW	CRS	10.0%	20.0%	40.0%	60.0%	80.0%	100.0%		
DO F	7.0	6.7	6.5	6.0	5.4	5.3	5.2	5.1	4.9	4.9	57	
I	7.4	7.4	7.0	6.8	6.6	6.7	6.6	6.6	6.4	6.4	57	
Temp F	24.4	24.4	24.6	24.3	24.6	24.8	24.8	24.6	24.6	24.7	A46	
I	24.7	24.7	24.9	25.0	25.0	24.8	24.9	24.9	25.0	24.9	A46	
Tech. Initials	Finals: D up									Initials: D up		
Times	Final Time: 1005									Initial Time: 1615		

Day 5	Controls				Treatment % CRM2.0							Meter #
	MHSW		Clinch River Water									
03/22/11	MHSW	LCS + MHSW	LCS + CRW	CRS	10.0%	20.0%	40.0%	60.0%	80.0%	100.0%		
DO F	6.5	6.2	6.0	6.0	5.7	5.5	5.7	5.4	5.0	5.1	57	
I	7.3	7.5	7.1	7.0	6.5	6.4	6.5	6.4	6.2	6.3	57	
Temp F	24.8	24.9	25.2	25.1	25.0	25.0	25.2	25.0	24.8	24.9	A46	
I	24.5	24.5	24.5	24.6	24.6	24.4	24.8	24.8	24.8	24.8	A46	
Tech. Initials	Finals: D up									Initials: D up		
Times	Final Time: 0920									Initial Time: 1725		

Comments:

C. dubia Water Quality Data Cont.

All Treatments: Initial Temp.: 23.5 to 26.4°C; Initial DO: 4.0 to 8.3 mg/l

Day 6	Controls				Treatment % CRM2.0						Meter #
	MHSW		Clinch River Water								
03/23/11	MHSW	LCS + MHSW	LCS + CRW	CRS	10.0%	20.0%	40.0%	60.0%	80.0%	100.0%	
DO F	6.6	6.3	5.5	5.6	5.2	5.2	5.0	5.3	4.9	5.0	57
I											
Temp F	25.0	25.2	25.2	25.1	24.9	25.1	25.1	25.0	24.8	24.7	A46
I											
Tech. Initials	Finals: <i>DW</i>				Initials: <i>MA</i>						
Times	Final Time: 1012				Initial Time: <i>MA</i>						

Day 7	Controls				Treatment % CRM2.0						Meter #
	MHSW		TVA Supplied Clinch River Water								
03/24/11	MHSW	LCS + MHSW	LCS + CRW	CRS	10.0%	20.0%	40.0%	60.0%	80.0%	100.0%	
DO F											
Temp F											
Tech. Initials	Finals: <i>MA</i>				Initials: <i>MA</i>						
Times	Final Time: <i>MA</i>				Initial Time: <i>MA</i>						

Comments:

Environmental Enterprises USA, Inc.

APPENDIX B

Ceriodaphnia Survival and Reproduction Test-7 Day Survival

Start Date: 3/17/2011 Test ID: cd08911 Sample ID: CRM2.0
 End Date: 3/23/2011 Lab ID: EE USA Sample Type: Whole Sediment
 Sample Date: 2/7/2011 Protocol: ASTM E1706-05 Annex A2 Test Species: CD-Ceriodaphnia dubia
 Comments: LCS=Lab Control Sediment; CRW=Clinch River Water; CRS=Clinch Reference Sediment

Conc-%	1	2	3	4	5	6	7	8	9	10
LCS+CRW	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
CRS+CRW	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
20	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
40	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
60	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
80	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
100	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Conc-%	Mean	N-Mean	Resp	Not Resp	Total	N	Fisher's	1-Tailed	Isotonic	
							Exact P	Critical	Mean	N-Mean
LCS+CRW	1.0000	1.0000	0	10	10	10	0.6238	*	1.0000	1.0000
CRS+CRW	1.0000	1.0000	0	10	10	10			1.0000	1.0000
10	1.0000	1.0000	0	10	10	10	1.0000	0.0500	1.0000	1.0000
20	1.0000	1.0000	0	10	10	10	1.0000	0.0500	1.0000	1.0000
40	1.0000	1.0000	0	10	10	10	1.0000	0.0500	1.0000	1.0000
60	1.0000	1.0000	0	10	10	10	1.0000	0.0500	1.0000	1.0000
80	1.0000	1.0000	0	10	10	10	1.0000	0.0500	1.0000	1.0000
100	1.0000	1.0000	0	10	10	10	1.0000	0.0500	1.0000	1.0000

Hypothesis Test (1-tail, 0.05) NOEC LOEC ChV TU

Fisher's Exact Test 100 >100 1

Treatments vs CRS+CRW

Linear Interpolation (200 Resamples)

Point	%	SD	95% CL	Skew
IC05	>100			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			

Ceriodaphnia Survival and Reproduction Test-Reproduction

Start Date: 3/17/2011 Test ID: cd08911 Sample ID: CRM2.0
 End Date: 3/23/2011 Lab ID: EE USA Sample Type: Whole Sediment
 Sample Date: 2/7/2011 Protocol: ASTM E1706-05 Annex A2 Test Species: CD-Ceriodaphnia dubia
 Comments: LCS=Lab Control Sediment; CRW=Clinch River Water; CRS=Clinch Reference Sediment

Conc-%	1	2	3	4	5	6	7	8	9	10
LCS+CRW	33.000	18.000	32.000	25.000	30.000	31.000	29.000	12.000	29.000	29.000
CRS+CRW	28.000	25.000	26.000	31.000	29.000	30.000	28.000	14.000	26.000	26.000
10	27.000	14.000	24.000	25.000	31.000	28.000	29.000	30.000	26.000	28.000
20	24.000	26.000	23.000	33.000	30.000	34.000	20.000	12.000	31.000	33.000
40	34.000	15.000	33.000	16.000	27.000	28.000	30.000	13.000	27.000	32.000
60	31.000	14.000	25.000	14.000	33.000	26.000	31.000	28.000	28.000	30.000
80	31.000	29.000	28.000	30.000	27.000	29.000	32.000	13.000	31.000	27.000
100	35.000	14.000	31.000	22.000	26.000	27.000	23.000	26.000	26.000	28.000

Conc-%	Transform: Untransformed							Rank Sum	1-Tailed Critical	Isotonic	
	Mean	N-Mean	Mean	Min	Max	CV%	N			Mean	N-Mean
LCS+CRW	26.800	1.0190	26.800	12.000	33.000	25.111	10	*		26.383	1.0000
CRS+CRW	26.300	1.0000	26.300	14.000	31.000	18.018	10			26.383	1.0000
10	26.200	0.9962	26.200	14.000	31.000	18.331	10	104.00	74.00	26.383	1.0000
20	26.600	1.0114	26.600	12.000	34.000	26.417	10	109.50	74.00	26.383	1.0000
40	25.500	0.9696	25.500	13.000	34.000	30.892	10	111.50	74.00	26.383	1.0000
60	26.000	0.9886	26.000	14.000	33.000	26.023	10	110.50	74.00	26.383	1.0000
80	27.700	1.0532	27.700	13.000	32.000	19.630	10	123.50	74.00	26.383	1.0000
100	25.800	0.9810	25.800	14.000	35.000	21.604	10	98.50	74.00	25.800	0.9779

Auxiliary Tests

Kolmogorov D Test indicates non-normal distribution ($p \leq 0.05$)	Statistic	Critical	Skew	Kurt
Bartlett's Test indicates equal variances ($p = 0.67$)	1.553453	0.895	-1.09986	0.571893
The control means are not significantly different ($p = 0.85$)	4.053221	16.81189		

Hypothesis Test (1-tail, 0.05)

NOEC	LOEC	ChV	TU
100	>100		1

Steel's Many-One Rank Test

Treatments vs CRS+CRW

Hypothesis Test (1-tail, 0.05)

NOEC	LOEC	ChV	TU	MSDu	MSDp	MSB	MSE	F-Prob	df
------	------	-----	----	------	------	-----	-----	--------	----

Dunnett's Test	100	>100		1	6.438518	0.244811	5.066667	37.62381	0.9913	6, 63
----------------	-----	------	--	---	----------	----------	----------	----------	--------	-------

Treatments vs CRS+CRW

Linear Interpolation (200 Resamples)

Point	%	SD	95% CL	Skew
IC05	>100			
IC10	>100			
IC15	>100			
IC20	>100			
IC25	>100			
IC40	>100			
IC50	>100			

Ceriodaphnia Survival and Reproduction Test-7 Day Survival

Start Date: 3/1/2011 Test ID: cd08911 Sample ID: CRM2.0
 End Date: 3/7/2011 Lab ID: EE USA Sample Type: Whole Sediment
 Sample Date: 2/7/2011 Protocol: ASTM E1706-05 Annex A2 Test Species: CD-Ceriodaphnia dubia
 Comments: MHSW=Mod Hard Synthetic Water; LCS=Lab Control Sediment; CRW=Clinch River Water

Conc-%	1	2	3	4	5	6	7	8	9	10
MHSW	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
LCS+MHSW	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
LCS+CRW	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Conc-%	Mean	N-Mean	Resp	Not Resp	Total	N	Fisher's Exact P	1-Tailed Critical
MHSW	1.0000	1.0000	0	10	10	10	0.6238	
LCS+MHSW	1.0000	1.0000	0	10	10	10	*	
LCS+CRW	1.0000	1.0000	0	10	10	10	1.0000	0.0500

Hypothesis Test (1-tail, 0.05)

Fisher's Exact Test indicates no significant differences

Treatments vs LCS+MHSW

Ceriodaphnia Survival and Reproduction Test-Reproduction

Start Date: 3/1/2011 Test ID: cd08911 Sample ID: CRM2.0
 End Date: 3/7/2011 Lab ID: EE USA Sample Type: Whole Sediment
 Sample Date: 2/7/2011 Protocol: ASTM E1706-05 Annex A2 Test Species: CD-Ceriodaphnia dubia
 Comments: MHSW=Mod Hard Synthetic Water; LCS=Lab Control Sediment; CRW=Clinch River Water

Conc-%	1	2	3	4	5	6	7	8	9	10
MHSW	22.000	13.000	24.000	14.000	26.000	21.000	17.000	22.000	21.000	23.000
LCS+MHSW	26.000	28.000	28.000	15.000	26.000	30.000	31.000	16.000	24.000	27.000
LCS+CRW	33.000	18.000	32.000	25.000	30.000	31.000	29.000	12.000	29.000	29.000

Conc-%	Transform: Untransformed						Rank Sum	1-Tailed Critical
	Mean	N-Mean	Mean	Min	Max	CV%		
MHSW	20.300	0.8088	20.300	13.000	26.000	21.035	10	
LCS+MHSW	25.100	1.0000	25.100	15.000	31.000	21.696	10	*
LCS+CRW	26.800	1.0677	26.800	12.000	33.000	25.111	10	122.00 82.00

Auxiliary Tests

	Statistic	Critical	Skew	Kurt
Shapiro-Wilk's Test indicates non-normal distribution (p <= 0.05)	0.821969	0.905	-1.33164	0.810918
F-Test indicates equal variances (p = 0.54)	1.527164	6.54109		
The control means are significantly different (p = 0.04)	2.19343	2.100922		


Hypothesis Test (1-tail, 0.05)

Wilcoxon Two-Sample Test indicates no significant differences

Treatments vs LCS+MHSW

Environmental Enterprises USA, Inc.

APPENDIX C



Test #	Test Date	Survival IC25	Mean IC25	-1 SD	-2 SD	+1 SD	+2 SD	-3 SD	+3 SD	Toxicant Lot #
CD0909	7/16/2009	389								029K0050
CD0910	8/27/2009	350	370	342	314	397	425	287	452	029K0050
CD0911	9/29/2009	443	394	347	301	441	487	254	534	029K0050
CD0912	10/15/2009	310	373	316	260	430	486	203	543	029K0050
CD0913	11/27/2009	294	357	297	236	418	478	176	539	049K0305
CD0915	12/24/2009	433	370	307	245	432	495	183	557	049K0305
CD1002	1/26/2010	508	390	312	235	467	544	158	621	079K0011
CD1003	2/16/2010	546	409	319	228	500	590	138	680	079K0011
CD1004	3/23/2010	178	383	269	155	498	612	40	727	049K0305
CD1006	4/30/2010	238	369	252	134	486	603	17	721	049K0305
CD1007	5/27/2010	531	384	262	141	505	627	19	748	049K0305
CD1009	6/21/2010	312	378	260	142	495	613	25	731	049K0305
CD1010	7/29/2010	456	384	269	154	498	613	39	728	079K0011
CD1011	8/17/2010	536	395	277	160	512	630	42	747	079K0011
CD1012	9/29/2010	527	403	285	167	522	640	49	758	079K0011
CD1013	10/26/2010	281	396	277	159	514	632	41	751	099K0202
CD1014	11/16/2010	364	394	279	164	509	623	49	738	099K0202
CD1015	12/21/2010	506	400	286	171	515	629	57	744	099K0202
CD1101	1/27/2011	539	407	292	176	523	639	60	755	099K0202
CD1102	2/10/2011	376	406	293	180	519	632	67	744	099K0202


CD1005 - IC25 less than lowest concentration tested and could not be graphed

CD1002 - Widened dilution series to 140, 212, 316, 476, & 716 mg/L KCl

CD1001 - Training lab tech

CD0914 - Training lab tech

***C. dubia* SRT, Survival IC25,
USEPA Within Lab %CV Warning and Control Limits**




Test #	Test Date	%CV for IC25	Mean %CV	-1 SD	-2 SD	+1 SD	+2 SD	75th Warning Limit	90th Warning Limit	Toxicant Lot #
CD0909	7/16/2009	12.8						41.0	81.0	029K0050
CD0910	8/27/2009	13.6	13.2	12.6	12.0	13.8	14.4	41.0	81.0	029K0050
CD0911	9/29/2009	13.4	13.3	12.8	12.4	13.7	14.1	41.0	81.0	029K0050
CD0912	10/15/2009	15.3	13.8	12.7	11.6	14.9	15.9	41.0	81.0	029K0050
CD0913	11/27/2009	17.4	14.5	12.6	10.8	16.3	18.2	41.0	81.0	049K0305
CD0915	12/24/2009	17.4	15.0	12.9	10.9	17.0	19.0	41.0	81.0	049K0305
CD1002	1/26/2010	17.6	15.3	13.2	11.1	17.5	19.6	41.0	81.0	079K0011
CD1003	2/16/2010	17.2	15.6	13.5	11.5	17.6	19.7	41.0	81.0	079K0011
CD1004	3/23/2010	21.5	16.2	13.5	10.7	19.0	21.7	41.0	81.0	049K0305
CD1006	4/30/2010	24.4	17.0	13.4	9.7	20.7	24.4	41.0	81.0	049K0305
CD1007	5/27/2010	24.7	17.7	13.6	9.4	21.9	26.1	41.0	81.0	049K0305
CD1009	6/21/2010	25.7	18.4	13.8	9.2	23.0	27.6	41.0	81.0	049K0305
CD1010	7/29/2010	25.5	19.0	14.1	9.3	23.8	28.6	41.0	81.0	079K0011
CD1011	8/17/2010	25.2	19.4	14.5	9.6	24.3	29.2	41.0	81.0	079K0011
CD1012	9/29/2010	25.3	19.8	14.8	9.8	24.8	29.8	41.0	81.0	079K0011
CD1013	10/26/2010	26.6	20.2	15.1	10.0	25.3	30.4	41.0	81.0	099K0202
CD1014	11/16/2010	26.8	20.6	15.4	10.2	25.8	31.0	41.0	81.0	099K0202
CD1015	12/21/2010	27.1	21.0	15.7	10.4	26.2	31.5	41.0	81.0	099K0202
CD1101	1/27/2011	27.6	21.3	16.0	10.6	26.7	32.0	41.0	81.0	099K0202
CD1102	2/10/2011	27.8	21.6	16.2	10.8	27.0	32.4	41.0	81.0	099K0202

CD1005 - IC25 less than lowest concentration tested and could not be graphed


CD1002 - Widened dilution series to 140, 212, 316, 476, & 716 mg/L KCl

CD1001 - Training lab tech

CD0914 - Training lab tech



Test #	Test Date	Survival PMSD	Mean	-1 SD	-2 SD	+1 SD	+2 SD	Toxicant Lot	#
CD0909	7/16/2009	21.3						029K0050	
CD0910	8/27/2009	17.7	19.5000	16.9544	14.4088	22.0456	24.5912	029K0050	
CD0911	9/29/2009	18.0	19.0000	17.0025	15.0050	20.9975	22.9950	029K0050	
CD0912	10/15/2009	19.2	19.0500	17.4160	15.7820	20.6840	22.3180	029K0050	
CD0913	11/27/2009	25.8	20.4000	17.0661	13.7322	23.7339	27.0678	049K0305	
CD0915	12/24/2009	14.1	19.3500	15.4121	11.4742	23.2879	27.2258	049K0305	
CD1002	1/26/2010	21.5	19.6571	15.9717	12.2862	23.3426	27.0281	079K0011	
CD1003	2/16/2010	14.1	18.9625	15.0252	11.0878	22.8998	26.8372	079K0011	
CD1004	3/23/2010	30.9	20.2889	14.8668	9.4448	25.7109	31.1330	049K0305	
CD1006	4/30/2010	33.0	21.5600	15.0570	8.5540	28.0630	34.5660	049K0305	
CD1007	5/27/2010	24.3	21.8091	15.5847	9.3603	28.0335	34.2579	049K0305	
CD1009	6/21/2010	28.4	22.3583	16.1261	9.8939	28.5906	34.8228	049K0305	
CD1010	7/29/2010	34.2	23.2692	16.4582	9.6471	30.0803	36.8914	079K0011	
CD1011	8/17/2010	16.2	22.7643	15.9531	9.1420	29.5754	36.3866	079K0011	
CD1012	9/29/2010	14.1	22.1867	15.2525	8.3183	29.1208	36.0550	079K0011	
CD1013	10/26/2010	24.8	22.3500	15.6192	8.8884	29.0808	35.8116	099K0202	
CD1014	11/16/2010	28.9	22.7353	16.0274	9.3195	29.4432	36.1511	099K0202	
CD1015	12/21/2010	22.0	22.6944	16.1845	9.6746	29.2044	35.7143	099K0202	
CD1101	1/27/2011	24.7	22.8000	16.4568	10.1135	29.1432	35.4865	099K0202	
CD1102	2/10/2011	17.7	22.5450	16.2665	9.9880	28.8235	35.1020	099K0202	



Test #	Test Date	Repro. IC25	Mean IC25	-1 SD	-2 SD	+1 SD	+2 SD	-3 SD	+3 SD	Toxicant Lot #
CD0909	7/16/2009	321								029K0050
CD0910	8/27/2009	282	302	274	246	329	357	219	384	029K0050
CD0911	9/29/2009	303	302	282	263	322	341	243	361	029K0050
CD0912	10/15/2009	297	301	285	268	317	333	252	349	029K0050
CD0913	11/27/2009	304	301	287	273	315	329	259	344	049K0305
CD0915	12/24/2009	403	318	275	232	362	405	188	448	049K0305
CD1002	1/26/2010	349	323	281	240	364	405	199	446	079K0011
CD1003	2/16/2010	539	350	264	179	435	521	93	606	079K0011
CD1004	3/23/2010	149	327	223	119	432	536	15	640	049K0305
CD1006	4/30/2010	135	308	193	77	424	539	-39	655	049K0305
CD1007	5/27/2010	533	329	200	71	458	586	-58	715	049K0305
CD1009	6/21/2010	246	322	197	71	447	572	-54	697	049K0305
CD1010	7/29/2010	343	323	203	83	443	563	-37	683	079K0011
CD1011	8/17/2010	518	337	211	84	464	590	-42	717	079K0011
CD1012	9/29/2010	469	346	220	93	473	599	-34	726	079K0011
CD1013	10/26/2010	202	337	210	82	465	592	-45	719	099K0202
CD1014	11/16/2010	320	336	213	89	460	583	-34	707	099K0202
CD1015	12/21/2010	382	339	218	98	459	579	-22	699	099K0202
CD1101	1/27/2011	136	328	202	76	454	580	-49	705	099K0202
CD1102	2/10/2011	292	326	203	81	449	572	-42	694	099K0202


CD1005 - IC25 less than lowest concentration tested and could not be graphed

CD1002 - Widened dilution series to 140, 212, 316, 476, & 716 mg/L KCl

CD1001 - Training lab tech

CD0914 - Training lab tech

***C. dubia* SRT, Reproduction IC25**
USEPA Within Lab %CV Warning and Control Limits




Test #	Test Date	%CV for IC25	Mean %CV	-1 SD	-2 SD	+1 SD	+2 SD	75th Warning Limit	90th Warning Limit	Toxicant Lot #
CD0909	7/16/2009	19.9						45.0	62.0	029K0050
CD0910	8/27/2009	21.0	20.4	19.7	19.0	21.2	21.9	45.0	62.0	029K0050
CD0911	9/29/2009	21.0	20.6	20.0	19.4	21.2	21.8	45.0	62.0	029K0050
CD0912	10/15/2009	21.3	20.8	20.2	19.6	21.4	21.9	45.0	62.0	029K0050
CD0913	11/27/2009	21.8	21.0	20.3	19.6	21.7	22.3	45.0	62.0	049K0305
CD0915	12/24/2009	19.4	20.7	19.9	19.0	21.6	22.5	45.0	62.0	049K0305
CD1002	1/26/2010	19.6	20.6	19.6	18.7	21.5	22.4	45.0	62.0	079K0011
CD1003	2/16/2010	21.3	20.7	19.8	18.9	21.5	22.4	45.0	62.0	079K0011
CD1004	3/23/2010	25.5	21.2	19.4	17.6	23.0	24.8	45.0	62.0	049K0305
CD1006	4/30/2010	30.1	22.1	18.8	15.5	25.4	28.7	45.0	62.0	049K0305
CD1007	5/27/2010	31.1	22.9	18.8	14.6	27.0	31.2	45.0	62.0	049K0305
CD1009	6/21/2010	31.9	23.7	18.9	14.2	28.4	33.1	45.0	62.0	049K0305
CD1010	7/29/2010	31.9	24.3	19.2	14.1	29.4	34.4	45.0	62.0	079K0011
CD1011	8/17/2010	31.3	24.8	19.6	14.3	30.0	35.2	45.0	62.0	079K0011
CD1012	9/29/2010	31.6	25.2	19.9	14.6	30.6	35.9	45.0	62.0	079K0011
CD1013	10/26/2010	33.9	25.8	20.2	14.6	31.4	36.9	45.0	62.0	099K0202
CD1014	11/16/2010	34.1	26.3	20.5	14.7	32.0	37.8	45.0	62.0	099K0202
CD1015	12/21/2010	33.8	26.7	20.8	14.9	32.6	38.4	45.0	62.0	099K0202
CD1101	1/27/2011	37.2	27.2	21.0	14.9	33.4	39.6	45.0	62.0	099K0202
CD1102	2/10/2011	37.6	27.8	21.3	14.8	34.2	40.7	45.0	62.0	099K0202

CD1005 - IC25 less than lowest concentration tested and could not be graphed

CD1002 - Widened dilution series to 140, 212, 316, 476, & 716 mg/L KCl

CD1001 - Training lab tech

CD0914 - Training lab tech




Test #	Test Date	Mean Control Repro.	Mean	-1 SD	-2 SD	+1 SD	+2 SD		Control Limit	Toxicant Lot #
CD0909	7/16/2009	27.9	28.1	27.8	27.6	28.3	28.5		15.0	029K0050
CD0910	8/27/2009	28.2	28.1	27.8	27.6	28.3	28.5		15.0	029K0050
CD0911	9/29/2009	19.7	25.3	20.4	15.6	30.1	34.9		15.0	029K0050
CD0912	10/15/2009	20.5	24.1	19.5	14.9	28.7	33.3		15.0	029K0050
CD0913	11/27/2009	28.1	24.9	20.5	16.1	29.3	33.6		15.0	049K0305
CD0915	12/24/2009	29.5	25.7	21.3	17.0	30.0	34.3		15.0	049K0305
CD1002	1/26/2010	33.6	26.8	21.8	16.8	31.8	36.7		15.0	079K0011
CD1003	2/16/2010	26.4	26.7	22.1	17.5	31.3	36.0		15.0	079K0011
CD1004	3/23/2010	36.3	27.8	22.4	17.1	33.2	38.5		15.0	049K0305
CD1006	4/30/2010	18.9	26.9	21.1	15.3	32.7	38.5		15.0	049K0305
CD1007	5/27/2010	25.5	26.8	21.3	15.8	32.3	37.8		15.0	049K0305
CD1009	6/21/2010	23.4	26.5	21.2	15.8	31.8	37.2		15.0	049K0305
CD1010	7/29/2010	23.8	26.3	21.1	16.0	31.5	36.6		15.0	079K0011
CD1011	8/17/2010	21.6	26.0	20.8	15.7	31.1	36.2		15.0	079K0011
CD1012	9/29/2010	27.8	26.1	21.1	16.2	31.0	36.0		15.0	079K0011
CD1013	10/26/2010	28.6	26.2	21.4	16.6	31.1	35.9		15.0	099K0202
CD1014	11/16/2010	21.2	25.9	21.1	16.3	30.8	35.6		15.0	099K0202
CD1015	12/21/2010	17.6	25.5	20.4	15.3	30.6	35.6		15.0	099K0202
CD1101	1/27/2011	17.0	25.0	19.7	14.4	30.3	35.7		15.0	099K0202
CD1102	2/10/2011	22.2	24.9	19.7	14.5	30.1	35.3		15.0	099K0202

CD1002 - Widened dilution series to 140, 212, 316, 476, & 716 mg/L KCl

CD1001 - Training lab tech

CD0914 - Training lab tech

***C. dubia* SRT, Control Reproduction %CV
TVA Control Limit**




Test #	Test Date	Control Repro. %CV	Mean %CV	-1 SD	-2 SD	+1 SD	+2 SD		Control Limit	Toxicant Lot #
CD0909	7/16/2009	12.4							30.0	029K0050
CD0910	8/27/2009	12.4	12.4	12.4	12.3	12.4	12.4		30.0	029K0050
CD0911	9/29/2009	13.3	12.7	12.1	11.6	13.2	13.8		30.0	029K0050
CD0912	10/15/2009	13.8	13.0	12.3	11.5	13.7	14.4		30.0	029K0050
CD0913	11/27/2009	12.6	12.9	12.2	11.6	13.6	14.2		30.0	049K0305
CD0915	12/24/2009	12.5	12.8	12.2	11.6	13.4	14.0		30.0	049K0305
CD1002	1/26/2010	14.1	13.0	12.3	11.6	13.7	14.5		30.0	079K0011
CD1003	2/16/2010	14.0	13.1	12.4	11.6	13.9	14.6		30.0	079K0011
CD1004	3/23/2010	16.2	13.5	12.2	11.0	14.7	15.9		30.0	049K0305
CD1006	4/30/2010	17.6	13.9	12.1	10.4	15.6	17.4		30.0	049K0305
CD1007	5/27/2010	17.6	14.2	12.2	10.2	16.2	18.2		30.0	049K0305
CD1009	6/21/2010	17.9	14.5	12.3	10.2	16.7	18.9		30.0	049K0305
CD1010	7/29/2010	17.7	14.8	12.5	10.2	17.0	19.3		30.0	079K0011
CD1011	8/17/2010	18.2	15.0	12.7	10.3	17.4	19.7		30.0	079K0011
CD1012	9/29/2010	18.0	15.2	12.8	10.4	17.6	20.0		30.0	079K0011
CD1013	10/26/2010	18.0	15.4	13.0	10.5	17.8	20.2		30.0	099K0202
CD1014	11/16/2010	18.2	15.6	13.1	10.7	18.0	20.5		30.0	099K0202
CD1015	12/21/2010	19.1	15.8	13.2	10.7	18.3	20.8		30.0	099K0202
CD1101	1/27/2011	20.8	16.0	13.3	10.6	18.7	21.4		30.0	099K0202
CD1102	2/10/2011	20.9	16.3	13.4	10.6	19.1	22.0		30.0	099K0202

CD1002 - Widened dilution series to 140, 212, 316, 476, & 716 mg/L KCl

CD1001 - Training lab tech

CD0914 - Training lab tech



Test #	Test Date	Reprod. PMSD	Mean PMSD	-1 SD	-2 SD	+1 SD	+2 SD	Upper PMSD Bound	Lower PMSD Bound	Toxicant Lot #
CD0909	7/16/2009	21.3	20.5000	19.3686	18.2373	21.6314	22.7627	47	13	029K0050
CD0910	8/27/2009	19.7	20.6667	19.8162	18.9657	21.5172	22.3676	47	13	029K0050
CD0911	9/29/2009	21.0	21.5000	19.6945	17.8889	23.3055	25.1111	47	13	029K0050
CD0912	10/15/2009	24.0	24.2000	17.9634	11.7268	30.4366	36.6732	47	13	049K0305
CD0913	11/27/2009	35.0	23.9833	18.3800	12.7766	29.5867	35.1901	47	13	049K0305
CD0915	12/24/2009	22.9	19.2173	13.4204	10.8112	30.8112	36.6082	47	13	079K0011
CD1002	1/26/2010	31.2	25.0143	18.5151	12.7552	30.0349	35.7948	47	13	079K0011
CD1003	2/16/2010	19.1	24.2750	18.9426	13.5519	29.7241	35.1148	47	13	079K0011
CD1004	3/23/2010	24.8	24.3333	18.9426	13.5519	29.7241	35.1148	47	13	049K0305
CD1006	4/30/2010	37.9	25.6900	19.0389	12.3879	32.3411	38.9921	47	13	049K0305
CD1007	5/27/2010	9.6	24.2273	16.2681	8.3090	32.1864	40.1456	47	13	049K0305
CD1009	6/21/2010	38.3	25.4000	16.7923	8.1846	34.0077	42.6154	47	13	049K0305
CD1010	7/29/2010	41.9	26.6692	17.2426	7.8160	36.0958	45.5224	47	13	079K0011
CD1011	8/17/2010	11.9	25.6143	15.7347	5.8551	35.4939	45.3734	47	13	079K0011
CD1012	9/29/2010	10.8	24.6267	14.3668	4.1069	34.8865	45.1464	47	13	079K0011
CD1013	10/26/2010	20.7	24.3813	14.4208	4.4603	34.3417	44.3022	47	13	099K0202
CD1014	11/16/2010	31.0	24.7706	14.9937	5.2168	34.5475	44.3243	47	13	099K0202
CD1015	12/21/2010	41.9	25.7222	15.4137	5.1052	36.0307	46.3392	47	13	099K0202
CD1101	1/27/2011	31.5	26.0263	15.9209	5.8156	36.1317	46.2371	47	13	099K0202
CD1102	2/10/2011	19.9	25.7200	15.7892	5.8584	35.6508	45.5816	47	13	099K0202

Environmental Enterprises USA, Inc.

APPENDIX D

BIOMONITORING CHAIN OF CUSTODY RECORD

Page 1 of 1

COC No. BULKSED-021111-EEUSA

Client: TVA	Environmental Enterprises USA, Inc. 58485 Pearl Acres Road, Suite D Slidell, LA 70461 Attn: David L. Daniel Office 800.966.2788 Cell 985.707.5442									
Project Name: K1F Ash Toxicity Study	Date of Sample Collection: 02/07/11, 02/08/11, 02/09/11									
Location: CRM0.0, CRM1.5, CRM2.0, CRM2.5, CRM3.0, CRM3.5, CRM4.0, CRM4.5, CRM6.5, CRM7.5	Other (specify): _____									
Collected By: R. Josefczyk (RSI), L. Jackson (TVA), R. Vance (RSI), E. Arnold (RSI), M. Greer (RSI), D. Mathis (RSI)	General Comments: Homogenized sediment from the Clinch River "CLINCHREFERENCE" is a composite sample of CRM6.5 and CRM7.5.									

Field Identification / Sample Description	Grab/ Comp	Collection Date/Time	Depth (ft)	Number of Containers & Volume Collected			Rain Event? (Mark as Appropriate)			Laboratory Use (as applicable)		
				Date	Time	If Yes, Inches	No	Trace	Log #	Arrival Temp. (°C)	By	Time
BULKSED-CRM0.0-EEUSA	G	02/07/11	1014	(4) 1000 mL	0.0-0.5	N/A	N/A	N/A	E-027-11	1.0 ± 1.1	0-0	1320/1430 faded
BULKSED-CRM1.5-EEUSA	G	02/07/11	1243	(4) 1000 mL	0.0-0.5	N/A	N/A	N/A	E-028-11	0.3 ± 1.1	0-0	1320/1430
BULKSED-CRM2.0-EEUSA	G	02/07/11	0955	(4) 1000 mL	0.0-0.5	N/A	N/A	N/A	E-029-11	0.8 ± 6.9	0-0	1515/1345
BULKSED-CRM2.5-EEUSA	G	02/07/11	1340	(4) 1000 mL	0.0-0.5	N/A	N/A	N/A	E-030-11	0.9 ± 0.7	0-0	1355/1520
BULKSED-CRM3.0-EEUSA	G	02/08/11	0921	(4) 1000 mL	0.0-0.5	N/A	N/A	N/A	E-031-11	1.3 ± 6.8	0-0	1530/1410
BULKSED-CRM3.5-EEUSA	G	02/08/11	1000	(4) 1000 mL	0.0-0.5	N/A	N/A	N/A	E-032-11	0.9	0-0	1425
BULKSED-CRM4.0-EEUSA	G	02/08/11	1235	(4) 1000 mL	0.0-0.5	N/A	N/A	N/A	E-033-11	0.8	0-0	1420
BULKSED-CRM4.5-EEUSA	G	02/08/11	1058	(4) 1000 mL	0.0-0.5	N/A	N/A	N/A	E-034-11	1.9	0-0	1420
BULKSED-CLINCHREFERENCE-EEUSA	C	02/09/11	0940	32 (4) 1000 mL	0.0-0.5	N/A	N/A	N/A	E-035-11	0.8-2.1 ± 1.6	0-0	*
												* 1320, 1450, + 1545
Sample Custody - Fill In From Top Down				Date/Time	Received By (Signature)/ Affiliation:			Date/Time				
Relinquished By (Signature)/Affiliation:				02/10/11 / 0920	Kotie Johnson / TVA			02/10/11 / 0920				
Relinquished By (Signature)/Affiliation:				02/10/11 / 100	Brett Schmid			02/12/11 / 1240				
Associated UPS Tracking #'s (if applicable):												

COURIER TRANSPORT DOCUMENTATION

DATE: 02/11/2011

COURIER COMPANY:

Sonic Subcontractor

From:	To:
TVA c/o Katie Gassaway 189 Lakeshore Drive Harriman, TN 37748 865-803-4503	Environmental Enterprises USA, Inc. 58485 Pearl Acres Road, Suite D Slidell, LA 70461 Attn: David L. Daniel 1-800-966-2788 985-707-5442

No. of Items:	Description:
7	Cooler(s) taped and custody sealed. Coolers are batched 1 of 1, 2 of 2, and 4 of 4 containing water and sediment.

Shippers Name/Company: Sonic ^{K602111} Branch Lab ^L Katie Gassaway/Ti

Date / Time: 02/11/11 / 1400

Courier Signature/Company: R. West

Date / Time: 2-11-11 16100

Receipt Signature/Company: R. West / EE USA

Date / Time: 2/12/11 1240 David Daniel

Corresponding Chains of Custody:

BULKSED-021111-EEUSA page 1 of 1	
BULKSW-021111-EEUSA page 1 of 1	

CHAIN OF CUSTODY RECORD

Page 1 of 11

COC No. BULKSW-030811-EUUSA

CHAIN OF CUSTODY RECORD										Page 1 of 1		COC No. BULKSW-030811-EUUSA		
Client: TVA		Environmental Enterprises USA, Inc. 58485 Pearl Acres Road, Suite D Slidell, LA 70461 Attn: David L. Daniel Office 800.966.2788 Cell 985.707.5442										Delivered By(Circle One): FedEx <input checked="" type="radio"/> UPS Bus Client Courier		
Project Name: KIF Ash Toxicity Study		Other (specify):												
Date of Sample Collection: 03/08/2011		General Comments: Bulk Clinch River reference water for sediment toxicity study collected in 2.5 gallon (10L) cubitainers.												
Collected By: EW HICKEN (RSI) ED ARNOUD (RSI) PUS VANCE (RSI)		Logbook: TVA-KIF-NTC-Tox-0002												
Field Identification / Sample Description		Grab/ Comp.	Collection Date/Time	Number of Containers & Volume Collected	Depth (m)	Rain Event? (Mark as Appropriate)	Laboratory Use (as applicable)							
			Date	Time		Yes If Yes, Inches	No	Trace	Log #	Arrival Temp. (°C)	By	Time	Appearance	
BULKSW-CRM7.0-EUUSA-030811		G	03/08/2011	14:51	(3) 10L cubitainers	10.28	NA	NA	✓	E-152-11	1.1	04	1310	water
<i>Am 030811</i>														
Sample Custody – Fill In From Top Down														
Relinquished By (Signature)/Affiliation:		Date/Time		Received By (Signature)/Affiliation:		Date/Time								
<i>Emma. Hickey/ESI</i>		030811/1554 4554/030811		<i>RSI</i>		030811/1554 <i>THOS Schreyer/ESI</i>								
<i>RSI</i>		030811/1615		<i>THOS Schreyer/ESI</i>		1300 3/9/11								
Associated UPS Tracking #'s (if applicable): 12939 EX215915627														